STATISTICAL REPORT
RAPPORT STATISTIQUE

95-R-1

1993 SURVEY OF HOUSEHOLD ENERGY USE
ENQUÊTE 1993 SUR L'UTILISATION DE L'ÉNERGIE

PROVINCIAL RESULTS
RÉSULTATS PROVINCIAUX

Energy Demand Branch
Direction de la demande d'énergie
August 1995 - Août 1995



Natural Resources Canada
Ressources naturelles Canada

©Minister of Supply and Services Canada 1995
©Ministre des Approvisionnements et des Services Canada 1995

Catalogue No. M92-96/1995
ISBN 0-662-61978-1

August 1995
Août 1995

Published by the authority of
the Minister of Natural Resources Canada
Government of Canada

Publié en vertu de l'autorisation de la Ministre des
Ressources naturelles Canada, Gouvernement du Canada

Si vous desirez recevoir des exemplaires additionnels de ce livret gratuit
veuillez écrire à l'adresse suivante:
To recieve additional copies of this free publication write to:

Publications Econergie
a/s Groupe Communication Canada
Ottawa (Ontario)
K1A 0S9

Energy Publications
c/o Canada Communications Group
Ottawa, Ontario
K1A 0S9

102-03302/

1993 Survey of Household Energy Use

Statistical report: provincial results

This report supplements the Survey of Household Energy Use by cross-tabulating data according to province. Because of the sample size, cross-tabulated data are often less detailed than data at the national level. As a general rule, for an estimated average to be published (for example, the average age of an appliance), its coefficient of variation had to be less than 16.5%. For percentages (for example, the percentage of households with a microwave oven), the number of households or corresponding dwellings had to be above the cut-off level set by Statistics Canada in the *Survey of Household Energy Use: Microdata User's Guide*, which corresponds to a coefficient of variation of 25% (in other words, publishable with a warning to the reader). Thus, some data are publishable for certain provinces but not others, when sample size and design effect are considered. Restrictions and combining of categories occurred more frequently in tables relating to subsets. This is especially true of section 2 on the heat insulation of houses; each of the tables shows the percentage that corresponds to a coefficient of variation of 25%, which allows the reader to identify the least reliable estimates in the table. This report contains estimates of percentages below the cut-off level, that is, those that do not meet the Statistics Canada standard; in the great majority of cases, these are small percentages that produce a total of 100%.

Enquête 1993 sur l'utilisation de l'énergie par les ménages

Rapport statistique: résultat provinciaux

Le présent rapport complète celui que l'Enquête 1993 sur l'utilisation de l'énergie par les ménages (EUÉM) par des croisements selon les provinces. Compte tenu des tailles d'échantillon, les données croisées comportent souvent moins de détails que celles divulguées au niveau national. Règle générale, pour q'une moyenne soit publiée (par exemple, l'âge moyen d'un appareil), on s'est assuré que son coefficient de variation (C.V.) soit inférieur à 16,5%. Pour les pourcentages, (par exemple, le pourcentage de ménages possédant un four à micro-ondes), on a veillé à ce que le nombre de ménages correspondant dépasse le seuil minimal établi par Statistique Canada dans le *Guide de l'utilisation des microdonnées de l'Enquête sur l'utilisation de l'énergie par les ménages* pour un C.V. de 25% (c'est-à-dire, publiable avec avertissement au lecteur). C'est ainsi qu'il arrive que certaines données sont publiables pour certaines provinces mais pas pour d'autres lorsque l'on a tenu compte de la taille de l'échantillon et de l'effet de plan. Les restrictions et les regroupements se sont avéres plus fréquents dans les tableaux se rapportant à des sous-ensembles. Ceci est particulièrement le cas dans la section 2 sur l'enveloppe thermique des maisons; chacun des tableaux affiche le pourcentage correspondant à un C.V. De 25%, ce qui permet au lecteur d'identifier les estimations les plus fragiles. Ce rapport contient des estimations de pourcentage inférieures à ce seuil critique, c'est-à-dire qui ne respectent pas la norme établie ci-dessus; dans la très grande majorité des cas, il s'agit de faibles pourcentages qui permettent de compléter le 100%.

Even if this report contains a lot of unpublished provincial data, some of them are traditionally collected through the Survey of Household Facilities Equipment also conducted by Statistics Canada. As the goal of the survey was not to be a substitute for other traditional sources, it should be understood by the user that where there is a discrepancy between the estimates presented in this context and data from traditional sources, the most traditional data shall prevail. In general, it can be stated that the discrepancies are rather inconsequential when these concepts are taken into consideration.

The structure of this report corresponds to that of the national report, and the numbering of sections and tables of the two publications matches. For an appreciation of the data and their significance and scope, see the national report and its technical appendices. Finally, this report is bilingual. Only the diagrams from section 2 are unilingual: diagram showing Quebec's data are in French and all other are in english. This way of doing helped to create a more compact document. report and its technical appendices. Finally, this report is bilingual. Only the diagrams from section 2 are unilingual: diagrams showing Quebec's data are in French and all others are in english. Presenting it this way helped to create a more compact document.

Si ce rapport comprend beaucoup de données inédites sur une base provinciale, par contre certaines informations peuvent être disponibles périodiquement à partir de l'Enquête sur l'équipement ménager (EÉM) de Statistique Canada. L'objectif de l'EUÉM n'est pas de substituer à de telles sources traditionnelles et l'utilisateur comprendra que lorsqu'il y a un écart entre les estimations provenant de deux sources, c'est la donnée de la source traditionnelle qui a préséance. En général, on constatera que lorsque l'on peut épurer les concepts, les écarts observés sont assez faibles.

La structure du présent rapport est conforme à celle du rapoort national; ainsi la numérotation des sections et des tableaux est cohérente entre les deux publications. Pour bien comprendre les données, leur signification et leur portée, il faut consulter le rapport national et ses annexes techniques. Enfin, le rapport est bilingue. Seul les schémas de la section 2 sont unilingues: ceux de la province de Québec sont en français, tandis que tous les autres sont en anglais. Cette façon de faire a rendu le document plus compact.

Table of contents

Table des matières

		Page
Section 1:	Dwellings by type/Les logements selon le type	1
Section 2:	Thermal envelope/L'enveloppe thermique	
	a) Characteristics/Caractéristiques	5
	b) Improvements/Améliorations	27
Section 3:	Heating system/Le système de chauffage	39
Section 4:	Air conditionning/La climatisation	49
Section 5:	Appliances/Les électroménagers	55
Section 6:	Hot running water/L'eau chaude courante	77
Section 7:	Lighting/L'éclairage	81

Section 1:

Dwellings by type/Les logements selon le type

M121

IMPORTANT NOTE CONCERNING THE FOLLOWING PAGES

THE PAGES WHICH FOLLOW HAVE BEEN FILMED TWICE IN ORDER TO OBTAIN THE BEST REPRODUCTIVE QUALITY

USERS SHOULD CONSULT ALL THE PAGES REPRODUCED ON THE FICHE IN ORDER TO OBTAIN A COMPLETE READING OF THE TEXT.

REMARQUE IMPORTANTE CONCERNANT LES PAGES QUI SUIVENT

LES PAGES SUIVANTES ONT ÉTÉ REPRODUITES EN DOUBLE AFIN D'AMÉLIORER LA QUALITÉ DE REPRODUCTION

LES UTILISATEURS DOIVENT CONSULTER TOUTES LES PAGES REPRODUITES SUR LA FICHE AFIN D'OBTENIR LA LECTURE DU TEXTE INTÉGRAL

micromedia
a division of IHS Canada

20 Victoria Street
Toronto, Ontario M5C 2N8
Tel.: (416) 362-5211
Toll Free: 1-800-387-2689
Fax: (416) 362-6161
Email: info@micromedia.on.ca

Table 1.1

Distribution of Dwellings by Type and Year of Construction - Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Before/Avant 1941	17.0%	13.7%	29.6%	24.7%
1941-1960	19.0%	15.8%	10.4%	13.4%
1961-1977	32.9%	32.2%	27.4%	27.7%
1978-1982	12.4%	13.8%	11.0%	12.2%
1983 and after/et après	18.6%	24.6%	21.7%	22.0%
Houses/Les maisons	**7,135**	**166**	**39**	**260**
Before/Avant 1941	17.1%	13.9%	27.3%	24.5%
1941-1960	17.7%	16.4%	10.7%	15.3%
1961-1977	31.7%	32.4%	28.9%	29.0%
1978-1982	13.9%	14.3%	10.8%	11.8%
1983 and after/et après	19.5%	23.1%	22.3%	19.5%
Detached/Non attenantes	**5,823**	**139**	**33**	**226**
Before/Avant 1941	18.1%	14.0%	29.9%	25.7%
1941-1960	19.7%	16.7%	11.3%	16.8%
1961-1977	30.3%	31.2%	28.9%	27.0%
1978-1982	12.3%	14.9%	10.3%	11.4%
1983 and after/et après	19.7%	23.1%	19.7%	19.1%
Other houses/Autres maisons	**1,312**	**27**	**6**	**40**
Apartments/Appartements	**3,224**	**20**	**7**	**70**
Before/Avant 1961	38.7%	21.0%	53.6%	30.8%
1961-1977	35.8%	30.7%	16.8%	22.6%
1978 and after/et après	25.5%	48.2%	29.6%	46.6%

Tableau 1.1

Répartition des logements selon le type et l'année de construction - données provinciales -

New.-Bruns. / Nouv.-Bruns.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
21.7%	17.7%	19.8%	18.6%	16.0%	8.9%	9.6%
15.3%	22.3%	19.3%	22.2%	20.4%	16.4%	14.6%
31.8%	31.8%	29.6%	37.1%	33.2%	41.7%	39.8%
11.5%	11.1%	10.5%	10.4%	18.0%	22.1%	13.2%
19.7%	17.1%	20.8%	11.7%	12.3%	10.9%	22.8%
219	**1,455**	**2,697**	**311**	**304**	**736**	**942**
19.5%	14.6%	22.4%	20.3%	18.1%	8.0%	8.8%
16.0%	16.6%	18.9%	24.4%	21.9%	16.8%	15.1%
32.8%	36.6%	24.5%	33.1%	32.8%	38.4%	39.6%
11.2%	13.0%	11.8%	11.3%	14.9%	25.1%	14.4%
20.5%	19.2%	22.4%	10.8%	12.3%	11.6%	22.1%
185	**1,205**	**2,178**	**271**	**272**	**565**	**749**
20.8%	13.7%	23.8%	22.4%	19.8%	9.9%	9.6%
17.5%	17.5%	20.7%	26.9%	23.4%	20.3%	18.0%
31.5%	36.8%	21.8%	31.6%	31.7%	38.3%	38.7%
11.6%	11.6%	10.9%	8.8%	14.1%	20.6%	11.9%
18.7%	20.5%	22.8%	10.4%	11.1%	10.9%	21.7%
34	**250**	**519**	**40**	**32**	**171**	**193**
42	**1,256**	**1,113**	**92**	**64**	**198**	**362**
46.2%	50.6%	33.7%	26.6%	17.2%	27.2%	25.1%
25.9%	26.1%	42.3%	51.7%	35.2%	55.0%	40.2%
27.8%	23.2%	24.0%	21.7%	47.6%	17.8%	34.7%

Table 1.1

Distribution of Dwellings by Type and Year of Construction - Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É. -	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Before/Avant 1941	17.0%	13.7%	29.6%	24.7%
1941-1960	19.0%	15.8%	10.4%	13.4%
1961-1977	32.9%	32.2%	27.4%	27.7%
1978-1982	12.4%	13.8%	11.0%	12.2%
1983 and after/et après	18.6%	24.6%	21.7%	22.0%
Houses/Les maisons	**7,135**	**166**	**39**	**266**
Before/Avant 1941	17.1%	13.9%	27.3%	24.5%
1941-1960	17.7%	16.4%	10.7%	15.3%
1961-1977	31.7%	32.4%	28.9%	29.0%
1978-1982	13.9%	14.3%	10.8%	11.8%
1983 and after/et après	19.5%	23.1%	22.3%	19.5%
Detached/Non attenantes	**5,823**	**139**	**33**	**226**
Before/Avant 1941	18.1%	14.0%	29.9%	25.7%
1941-1960	19.7%	16.7%	11.3%	16.8%
1961-1977	30.3%	31.2%	28.9%	27.0%
1978-1982	12.3%	14.9%	10.3%	11.4%
1983 and after/et après	19.7%	23.1%	19.7%	19.1%
Other houses/Autres maisons	**1,312**	**27**	**6**	**40**
Apartments/Appartements	**3,224**	**20**	**7**	**70**
Before/Avant 1961	38.7%	21.0%	53.6%	30.8%
1961-1977	35.8%	30.7%	16.8%	22.6%
1978 and after/et après	25.5%	48.2%	29.6%	46.6%

Tableau 1.1

Répartition des logements selon le type et l'année de construction - données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
21.7%	17.7%	19.8%	18.6%	16.0%	8.9%	9.6%
15.3%	22.3%	19.3%	22.2%	20.4%	16.4%	14.6%
31.8%	31.8%	29.6%	37.1%	33.2%	41.7%	39.8%
11.5%	11.1%	10.5%	10.4%	18.0%	22.1%	13.2%
19.7%	17.1%	20.8%	11.7%	12.3%	10.9%	22.8%
219	**1,455**	**2,697**	**311**	**304**	**736**	**942**
19.5%	14.6%	22.4%	20.3%	18.1%	8.0%	8.8%
16.0%	16.6%	18.9%	24.4%	21.9%	16.8%	15.1%
32.8%	36.6%	24.5%	33.1%	32.8%	38.4%	39.6%
11.2%	13.0%	11.8%	11.3%	14.9%	25.1%	14.4%
20.5%	19.2%	22.4%	10.8%	12.3%	11.6%	22.1%
185	**1,205**	**2,178**	**271**	**272**	**565**	**749**
20.8%	13.7%	23.8%	22.4%	19.8%	9.9%	9.6%
17.5%	17.5%	20.7%	26.9%	23.4%	20.3%	18.0%
31.5%	36.8%	21.8%	31.6%	31.7%	38.3%	38.7%
11.6%	11.6%	10.9%	8.8%	14.1%	20.6%	11.9%
18.7%	20.5%	22.8%	10.4%	11.1%	10.9%	21.7%
34	**250**	**519**	**40**	**32**	**171**	**193**
42	**1,256**	**1,113**	**92**	**64**	**198**	**362**
46.2%	50.6%	33.7%	26.6%	17.2%	27.2%	25.1%
25.9%	26.1%	42.3%	51.7%	35.2%	55.0%	40.2%
27.8%	23.2%	24.0%	21.7%	47.6%	17.8%	34.7%

Section 2:

Thermal envelope/L'enveloppe thermique

a) Characteristics/Caractéristiques

Diagram 2.1.a - Newfoundland
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**166,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	4.7%
601-1000 sq. ft.	34.5%
1001-1500 sq. ft.	37.8%
1501-2000 sq. ft.	14.4%
2001 sq. ft. and over	8.6%

Principal Exterior Wall Material:

One Material Only:	*74.7%*
Aluminium/Steel	7.0%
Brick	**
Stucco	**
Vinyl	34.5%
Wood	29.1%
Other	4.1%
Two Materials:	*25.4%*
Brick and Aluminium	**
Brick and Stucco	6.5%
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	**
Stucco and Other	**
Vinyl and Other than Br.	8.2%
Other Combinations	10.7%



Number of Storeys

1 Storey	62.2%
1 1/2 Storeys	4.5%
2 Storeys	17.7%
More than 2 S.	2.4%
Split	13.1%

** Grouped into the 'Other' category.
*** Sample size too small.

Average Number of Windows: 9.7

Threshold below which estimated percentages have C.V. greater than 25% → **6.0%**

Average Number of Doors: 2.5

Diagram 2.1.b - Newfoundland

Characteristics of the Thermal Envelope

- Specific Characteristics -



All houses

Date of Construction:	**All**
Number of Houses:	**166,000**

Air Exchanger:

Have and use:	*12.3%*
All year	9.1%
Season or occas.	3.2%
Never/do not have	*87.7%*

Attic:

With attic:	*82.9%*
Finished:	3.7%
Unfinis.high ceiling	30.5%
Unfinis. low ceiling	48.7%
No attic	17.2%

Windows: Proportion with...

Triple Pane	3.6%
Double Pane	83.4%
Picture window:	13.1%
Other size:	70.3%
Single Pane with Storm W.	8.8%
Single Pane without S. W.	3.5%
Skylights:	0.7%

Windows:

Principal Window Frame Material:	
Metal	**
Wood	76.6%
Fibreglass/Vinyl	19.5%
Other	3.9%
Air Leaks:	
All windows	14.8%
Some windows	16.1%
No leaks	69.1%

Exterior Doors: Proportion...

Made of wood	36.1%
with storm door:	27.8%
without storm door:	8.2%
Made of metal	52.4%
with storm door:	18.5%
without storm door:	33.8%
Patio:	9.4%
Other Doors:	2.2%
Air Leaks:	
All doors	17.6%
Some doors	24.1%
No leaks	58.3%

Garage

Heated garage	4.0%
Heated unattached	***
Heated attached	***

Basement:

With basement:	*83.2%*
Full basement	53.1%
Partial basement	15.8%
Crawl space	14.3%
No basement	16.9%

Area of Basement (sq. ft.): 1,139

Basement:	
Heated	61.5%
Not heated	38.5%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 6.0%

Diagram 2.1.a - Prince Edward Island
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**39,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	10.5%
601-1000 sq. ft.	25.0%
1001-1500 sq. ft.	40.4%
1501-2000 sq. ft.	14.7%
2001 sq. ft. and over	9.4%

Principal Exterior Wall Material:

One Material Only:	*72.3%*
Aluminium/Steel	6.2%
Brick	**
Stucco	**
Vinyl	25.8%
Wood	30.4%
Other	9.9%
Two Materials:	*27.7%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	**
Stucco and Other	**
Vinyl and Other than Br.	7.1%
Other Combinations	20.6%



Number of Storeys

1 Storey	47.6%
1 1/2 Storeys	24.9%
2 Storeys	20.1%
More than 2 S.	2.3%
Split	5.2%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 5.1%

Average Number of Windows: 11.7

Average Number of Doors: 2.5

Diagram 2.1.b - Prince Edward Island

Characteristics of the Thermal Envelope

- Specific Characteristics -

Air Exchanger:

Have and use:	*14.7%*
All year	8.1%
Season or occas.	6.6%
Never/do not have	*85.3%*

All houses

Date of Construction:	**All**
Number of Houses:	**39,000**



Attic:

With attic:	*92.0%*
Finished:	3.5%
Unfinis.high ceiling	43.6%
Unfinis. low ceiling	44.9%
No attic	8.0%

Windows: Proportion with...

Triple Pane	1.2%
Double Pane	62.1%
Picture window:	9.8%
Other size:	52.3%
Single Pane with Storm W.	31.6%
Single Pane without S. W.	4.3%
Skylights:	0.6%

Windows:

Principal Window Frame Material:	
Metal	**
Wood	80.7%
Fibreglass/Vinyl	14.0%
Other	5.3%
Air Leaks:	
All windows	10.9%
Some windows	27.4%
No leaks	61.7%

Exterior Doors: Proportion...

Made of wood	48.9%
with storm door:	41.8%
without storm door:	7.1%
Made of metal	38.9%
with storm door:	18.9%
without storm door:	20.1%
Patio:	10.8%
Other Doors:	1.4%
Air Leaks:	
All doors	24.9%
Some doors	25.9%
No leaks	49.2%

Garage

Heated garage	4.1%
Heated unattached	***
Heated attached	***

Basement:

With basement:	*91.3%*
Full basement	79.1%
Partial basement	8.9%
Crawl space	3.3%
No basement	8.7%

Area of Basement (sq. ft.): 1,200

Basement:	
Heated	50.4%
Not heated	49.6%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 5.1%

Diagram 2.1.a - Nova Scotia

Characteristics of the Thermal Envelope - General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**266,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	8.2%
601-1000 sq. ft.	29.9%
1001-1500 sq. ft.	38.1%
1501-2000 sq. ft.	14.6%
2001 sq. ft. and over	9.2%

Principal Exterior Wall Material:

One Material Only:	*74.6%*
Aluminium/Steel	10.5%
Brick	**
Stucco	**
Vinyl	24.0%
Wood	36.5%
Other	3.5%
Two Materials:	*25.4%*
Brick and Aluminium	**
Brick and Stucco	4.5%
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	**
Stucco and Other	**
Vinyl and Other than Br.	10.5%
Other Combinations	10.4%



Number of Storeys

1 Storey	47.6%
1 1/2 Storeys	20.4%
2 Storeys	23.5%
More than 2 S.	2.4%
Split	6.1%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 3.9%

Average Number of Windows: 11.8

Average Number of Doors: 2.8

Diagram 2.1.b - Nova Scotia

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**266,000**

Air Exchanger:

Have and use:	*14.7%*
All year	9.8%
Season or occas.	4.9%
Never / do not have	*85.3%*

Attic:

With attic:	*83.1%*
Finished:	2.7%
Unfinis.high ceiling	45.5%
Unfinis. low ceiling	34.9%
No attic	16.9%

Windows: Proportion with...

Triple Pane	1.8%
Double Pane	60.9%
Picture window:	11.5%
Other size:	49.4%
Single Pane with Storm W.	30.8%
Single Pane without S. W.	5.7%
Skylights:	0.5%

Windows:

Principal Window Frame Material:	
Metal	8.8%
Wood	76.1%
Fibreglass/Vinyl	14.9%
Other	0.2%
Air Leaks:	
All windows	15.0%
Some windows	26.2%
No leaks	58.8%

Exterior Doors: Proportion...

Made of wood	47.0%
with storm door:	37.8%
without storm door:	9.1%
Made of metal	39.5%
with storm door:	20.0%
without storm door:	19.5%
Patio:	10.8%
Other Doors:	2.7%
Air Leaks:	
All doors	26.1%
Some doors	27.0%
No leaks	46.9%

Garage

Heated garage	5.9%
Heated unattached	***
Heated attached	***

Basement:

With basement:	*87.0%*
Full basement	71.0%
Partial basement	10.0%
Crawl space	6.0%
No basement	13.0%

Area of Basement (sq. ft.): 1,107

Basement:	
Heated	63.8%
Not heated	36.2%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 3.9%

Diagram 2.1.a - New Brunswick
Characteristics of the Thermal Envelope
- General Characteristics -

All houses

Date of Construction: All

Number of Houses: 219,000

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	8.0%
601-1000 sq. ft.	33.3%
1001-1500 sq. ft.	36.8%
1501-2000 sq. ft.	11.7%
2001 sq. ft. and over	10.3%

Principal Exterior Wall Material:

One Material Only:	*80.7%*
Aluminium/Steel	8.3%
Brick	**
Stucco	**
Vinyl	39.4%
Wood	23.7%
Other	9.3%
Two Materials:	*19.1%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	**
Stucco and Other	**
Vinyl and Other than Br.	6.9%
Other Combinations	12.2%



Number of Storeys

1 Storey	54.5%
1 1/2 Storeys	18.2%
2 Storeys	19.3%
More than 2 S.	1.3%
Split	6.7%

** Grouped into the 'Other' category.
*** Sample size too small.

Average Number of Windows: 11.1

Average Number of Doors: 2.7

Threshold below which estimated percentages have C.V. greater than 25% → **3.7%**

Diagram 2.1.b - New Brunswick

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**219,000**

Air Exchanger:

Have and use:	*16.3%*
All year	12.3%
Season or occas.	4.1%
Never / do not have	*83.7%*



Attic:

With attic:	*80.9%*
Finished:	2.0%
Unfinis.high ceiling	31.1%
Unfinis. low ceiling	47.8%
No attic	19.1%

Windows: Proportion with...

Triple Pane	3.0%
Double Pane	69.7%
Pictu re window:	11.8%
Other size:	57.9%
Single Pane with Storm W.	22.1%
Single Pane without S. W.	4.7%
Skylights:	0.2%

Windows:

Principal Window Frame Material:	
Metal	7.5%
Wood	73.9%
Fibreglass/Vinyl	18.3%
Other	0.3%
Air Leaks:	
All windows	17.5%
Some windows	21.5%
No leaks	61.0%

Exterior Doors: Proportion...

Made of wood	50.2%
with storm door:	40.5%
without storm door:	9.7%
Made of metal	36.8%
with storm door:	17.3%
without storm door:	19.5%
Patio:	10.8%
Other Doors:	2.2%
Air Leaks:	
All doors	25.9%
Some doors	24.4%
No leaks	49.7%

Garage

Heated garage	6.2%
Heated unattached	***
Heated attached	***

Basement:

With basement:	*86.2%*
Full basement	69.0%
Partial basement	10.0%
Crawl space	7.2%
No basement	13.7%

Area of Basement (sq. ft.): 1,112

Basement:	
Heated	68.9%
Not heated	31.1%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 3.7%

Schéma: 2.1.a - Québec
Caractéristiques de l'enveloppe thermique
- Caractéristiques générales -

Maisons attenantes	
Date de construction:	**Toutes**
Nombre de maisons:	**1,455,000**

Superficie chauffée
(excluant sous-sol et garage):

moins de 600 pi²	5.0%
601 - 1000 pi²	36.5%
1001 - 1500 pi²	39.0%
1501 - 2000 pi²	8.4%
2001 pi² et plus	11.1%

Principal revêtement des murs extérieurs:

Un seul revêtement:	*64.0%*
aluminium/acier	11.1%
brique	19.5%
stucco	**
vinyle	9.1%
bois	**
autres	14.3%
Deux revêtements:	*45.9%*
brique et aluminium	16.5%
brique et stucco	**
brique et vinyle	**
brique et pierre	**
brique et bois	**
alum. et autre que brique	**
stucco et bois	**
stucco et autre que préc.	**
vinyle et autre que brique	**
autres combinaisons	29.4%



Nombre d'étages:

un étage	53.2%
un étage et ½	7.4%
deux étages	31.9%
plus de deux	2.2%
split	5.4%

** Regroupement dans 'Autres'.
*** Taille d'échantillon trop restreinte.

Seuil sous lequel les pourcentages ont un C.V. supérieur à 25% → **9.5%**

Nombre moyen de fenêtres: 11.0

Nombre moyen de portes: 2.8

Schéma 2.1.b - Québec

Caractéristiques de l'enveloppe thermique - caractéristiques spécifiques -

Maisons attenantes

Date de construction:	**Toutes**
Nombre de maisons:	**1,455,000**

Échangeur d'air:

Ont et utilisent:	*15.6%*
toute l'année	7.9%
Saison ou occasion	7.7%
jamais / n'en ont pas	*84.4%*

Grenier:

Avec grenier:	*65.2%*
fini et habitable:	3.4%
non-fini mais haut	19.4%
non-fini et bas	42.4%
aucun grenier	34.8%

Fenêtres: Proportion à vitrage...

triple	7.8%
double	66.3%
panoramiques:	12.4%
Autres dimensions:	53.9%
simple avec contre-fenêtre	20.9%
simple sans contre-fenêtre	4.5%
puits de lumière:	0.8%

Fenêtres:

Principal matériau des cadres de fenêtre:	
métal	23.5%
bois	62.2%
fibre de verre/vinyle	14.1%
autres	0.2%
Infiltration d'air:	
toutes les fenêtres	13.3%
certaines fenêtres	16.6%
aucune infiltration	70.1%

Portes extérieures: Proportion des portes...

en bois	42.9%
avec contre-porte:	32.6%
sans contre-porte:	10.3%
de métal	32.7%
avec contre-porte:	8.1%
sans contre-porte:	24.6%
patio:	19.6%
autres portes:	4.8%
Infiltration d'air:	
toutes les portes	13.6%
certaines portes	22.3%
aucune infiltration	64.1%

Garage

Garage chauffé	17.9%
Chauffé non attenant	2.1%
Chauffé attenant	15.8%

Sous-sol:

Avec sous-sol:	*94.2%*
pleine grandeur	79.5%
partiel	8.0%
vide sanitaire	6.7%
aucun sous-sol	5.8%

Superficie du sous-sol (pi²): 1,128

Sous-sol	
Chauffé	89.6%
Non chauffé	10.4%

** Regroupé dans 'autres'.

*** Taille d'échantillon trop restreinte.

Seuil sous lequel les pourcentages ont un C.V. supérieur à 25% → 9.5%

Diagram 2.1.a - Ontario
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**2,697,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	5.1%
601-1000 sq. ft.	18.7%
1001-1500 sq. ft.	39.8%
1501-2000 sq. ft.	20.2%
2001 sq. ft. and over	16.1%

Principal Exterior Wall Material:

One Material Only:	*51.9%*
Aluminium/Steel	7.8%
Brick	30.2%
Stucco	**
Vinyl	5.9%
Wood	**
Other	8.0%
Two Materials:	*48.2%*
Brick and Aluminium	23.5%
Brick and Stucco	8.2%
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	**
Stucco and Other	**
Vinyl and Other than Br.	**
Other Combinations	16.5%



Number of Storeys

1 Storey	33.1%
1 1/2 Storeys	12.7%
2 Storeys	38.6%
More than 2 S.	6.6%
Split	9.0%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → **4.2%**

Average Number of Windows: 11.7

Average Number of Doors: 2.9

Diagram 2.1.b - Ontario

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**2,697,000**

Air Exchanger:

Have and use:	*6.9%*
All year	3.7%
Season or occas.	3.2%
Never/do not have	*93.1%*



Attic:

With attic:	*74.3%*
Finished:	1.7%
Unfinis.high ceiling	39.2%
Unfinis. low ceiling	33.4%
No attic	25.7%

Windows: Proportion with...

Triple Pane	5.0%
Double Pane	58.8%
Picture window:	10.9%
Other size:	47.8%
Single Pane with Storm W.	27.4%
Single Pane without S. W.	7.2%
Skylights:	1.3%

Windows:

Principal Window Frame Material:	
Metal	19.1%
Wood	64.8%
Fibreglass/Vinyl	15.8%
Other	0.3%
Air Leaks:	
All windows	16.8%
Some windows	23.6%
No leaks	59.6%

Exterior Doors: Proportion...

Made of wood	50.6%
with storm door:	37.4%
without storm door:	13.2%
Made of metal	30.5%
with storm door:	15.0%
without storm door:	15.4%
Patio:	17.6%
Other Doors:	1.4%
Air Leaks:	
All doors	24.4%
Some doors	23.6%
No leaks	52.0%

Garage

Heated garage	7.0%
Heated unattached	***
Heated attached	***

Basement:

With basement:	*92.5%*
Full basement	74.3%
Partial basement	13.0%
Crawl space	5.2%
No basement	7.6%

Area of Basement (sq. ft.): 1,006

Basement:

Heated	73.6%
Not heated	26.4%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 4.2%

Diagram 2.1.a - Manitoba
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**311,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	5.2%
601-1000 sq. ft.	35.1%
1001-1500 sq. ft.	44.0%
1501-2000 sq. ft.	9.9%
2001 sq. ft. and over	5.9%

Principal Exterior Wall Material:

One Material Only:	*55.9%*
Aluminium/Steel	4.2%
Brick	**
Stucco	17.4%
Vinyl	8.0%
Wood	23.1%
Other	3.2%
Two Materials:	*44.2%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	9.1%
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	16.8%
Stucco and Other	7.7%
Vinyl and Other than Br.	**
Other Combinations	10.6%



Number of Storeys

1 Storey	62.3%
1 1/2 Storeys	11.9%
2 Storeys	17.1%
More than 2 S.	2.3%
Split	6.4%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → **3.5%**

Average Number of Windows: 10.1

Average Number of Doors: 2.4

Diagram 2.1.b - Manitoba

Characteristics of the Thermal Envelope

- Specific Characteristics -

Air Exchanger:

Have and use:	*9.3%*
All year	4.8%
Season or occas.	4.5%
Never / do not have	*90.7%*

All houses

Date of Construction:	**All**
Number of Houses:	**311,000**

Attic:

With attic:	*83.9%*
Finished:	1.7%
Unfinis.high ceiling	41.5%
Unfinis. low ceiling	40.7%
No attic	16.1%

Windows: Proportion with...

Triple Pane	29.8%
Double Pane	43.9%
Picture window:	8.6%
Other size:	35.3%
Single Pane with Storm W.	23.2%
Single Pane without S. W.	2.8%
Skylights:	0.5%

Windows:

Principal Window Frame Material:	
Metal	20.2%
Wood	68.2%
Fibreglass/Vinyl	11.2%
Other	0.4%
Air Leaks:	
All windows	16.5%
Some windows	23.6%
No leaks	59.9%

Exterior Doors: Proportion...

Made of wood	56.6%
with storm door:	48.3%
without storm door:	8.3%
Made of metal	33.3%
with storm door:	19.3%
without storm door:	14.0%
Patio:	9.4%
Other Doors:	0.8%
Air Leaks:	
All doors	28.9%
Some doors	28.3%
No leaks	42.8%

Garage

Heated garage	5.2%
Heated unattached	***
Heated attached	***

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 3.5%

Basement:

With basement:	*91.4%*
Full basement	69.3%
Partial basement	16.3%
Crawl space	5.8%
No basement	8.6%

Area of Basement (sq. ft.): 945

Basement:	
Heated	81.1%
Not heated	18.9%

Diagram 2.1.a - Saskatchewan
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**304,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	3.5%
601-1000 sq. ft.	33.8%
1001-1500 sq. ft.	44.0%
1501-2000 sq. ft.	10.8%
2001 sq. ft. and over	7.9%

Principal Exterior Wall Material:

One Material Only:	*66.9%*
Aluminium/Steel	5.4%
Brick	**
Stucco	11.6%
Vinyl	13.6%
Wood	31.8%
Other	4.5%
Two Materials:	*33.1%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	3.6%
Alum. and other than Br.	4.0%
Stucco and Wood	9.7%
Stucco and Other	2.6%
Vinyl and Other than Br.	4.6%
Other Combinations	8.6%



Number of Storeys

1 Storey	72.5%
1 1/2 Storeys	8.6%
2 Storeys	10.6%
More than 2 S.	1.3%
Split	7.1%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 2.0%

Average Number of Windows: 10.5

Average Number of Doors: 2.4

Diagram 2.1.b - Saskatchewan

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**304,000**

Air Exchanger:

Have and use:	*4.7%*
All year	2.3%
Season or occas.	2.3%
Never / do not have	*95.3%*

Attic:

With attic:	*85.5%*
Finished:	2.1%
Unfinis.high ceiling	36.1%
Unfinis. low ceiling	47.3%
No attic	14.5%

Windows: Proportion with...

Triple Pane	15.5%
Double Pane	57.6%
Picture window:	10.2%
Other size:	47.4%
Single Pane with Storm W.	22.7%
Single Pane without S. W.	3.7%
Skylights:	0.2%

Windows:

Principal Window Frame Material:	
Metal	15.5%
Wood	77.0%
Fibreglass/Vinyl	7.2%
Other	0.3%
Air Leaks:	
All windows	18.2%
Some windows	21.5%
No leaks	60.3%

Exterior Doors: Proportion...

Made of wood	46.5%
with storm door:	38.2%
without storm door:	8.4%
Made of metal	42.5%
with storm door:	24.7%
without storm door:	17.8%
Patio:	9.5%
Other Doors:	1.4%
Air Leaks:	
All doors	30.2%
Some doors	22.3%
No leaks	47.5%

Garage

Heated garage	9.4%
Heated unattached	5.2%
Heated attached	4.2%

** Grouped into the 'Other' category.
*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 35% → 2.6%

Basement:

With basement:	*93.0%*
Full basement	73.6%
Partial basement	15.7%
Crawl space	3.7%
No basement	7.1%

Area of Basement (sq. ft.): 1,017

Basement:	
Heated	82.6%
Not heated	17.4%

Diagram 2.1.a - Alberta
Characteristics of the Thermal Envelope
- General Characteristics -

All houses

Date of Construction: All

Number of Houses: 736,000

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	2.3%
601-1000 sq. ft.	26.5%
1001-1500 sq. ft.	50.1%
1501-2000 sq. ft.	14.1%
2001 sq. ft. and over	7.0%

Principal Exterior Wall Material:

One Material Only:	*54.8%*
Aluminium/Steel	11.0%
Brick	**
Stucco	12.1%
Vinyl	12.1%
Wood	17.5%
Other	2.1%
Two Materials:	*45.3%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	7.1%
Stucco and Wood	13.7%
Stucco and Other	6.2%
Vinyl and Other than Br.	**
Other Combinations	18.3%



Number of Storeys

1 Storey	59.1%
1 1/2 Storeys	6.3%
2 Storeys	24.1%
More than 2 S.	1.9%
Split	8.6%

** Grouped into the 'Other' category.
*** Sample size too small.

Average Number of Windows: 10.7

Threshold below which estimated percentages have C.V. greater than 25% → 6.3%

Average Number of Doors: 2.6

Diagram 2.1.b - Alberta

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**736,000**

Air Exchanger:

Have and use:	*10.8%*
All year	8.0%
Season or occas.	2.8%
Never / do not have	*89.2%*

Attic:

With attic:	*78.3%*
Finished:	1.9%
Unfinis.high ceiling	29.6%
Unfinis. low ceiling	46.8%
No attic	21.7%

Windows: Proportion with...

Triple Pane	3.6%
Double Pane	65.3%
Picture window:	15.8%
Other size:	49.5%
Single Pane with Storm W.	26.4%
Single Pane without S. W.	4.1%
Skylights:	0.9%

Windows:

Principal Window Frame Material:	
Metal	41.4%
Wood	54.3%
Fibreglass/Vinyl	**
Other	4.3%
Air Leaks:	
All windows	18.0%
Some windows	22.7%
No leaks	59.3%

Exterior Doors: Proportion...

Made of wood	50.0%
with storm door:	39.6%
without storm door:	10.4%
Made of metal	32.3%
with storm door:	20.2%
without storm door:	12.1%
Patio:	16.4%
Other Doors:	1.3%
Air Leaks:	
All doors	32.1%
Some doors	24.8%
No leaks	43.1%

Garage

Heated garage	17.4%
Heated unattached	10.0%
Heated attached	7.4%

Basement:

With basement:	*90.3%*
Full basement	74.0%
Partial basement	11.9%
Crawl space	4.4%
No basement	9.7%

Area of Basement (sq. ft.): 1,082

Basement:	
Heated	84.0%
Not heated	16.0%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 6.3%

Diagram 2.1.a - British Columbia
Characteristics of the Thermal Envelope
- General Characteristics -

All houses	
Date of Construction:	**All**
Number of Houses:	**942,000**

Heated Area
(excluding basement and garage):

less than 600 sq. ft.	2.5%
601-1000 sq. ft.	21.3%
1001-1500 sq. ft.	38.6%
1501-2000 sq. ft.	20.8%
2001 sq. ft. and over	16.9%

Principal Exterior Wall Material:

One Material Only:	*60.4%*
Aluminium/Steel	**
Brick	**
Stucco	10.9%
Vinyl	12.5%
Wood	28.5%
Other	8.5%
Two Materials:	*39.5%*
Brick and Aluminium	**
Brick and Stucco	**
Brick and Vinyl	**
Brick and Stone	**
Brick and Wood	**
Alum. and other than Br.	**
Stucco and Wood	16.0%
Stucco and Other	**
Vinyl and Other than Br.	**
Other Combinations	23.5%



Number of Storeys

1 Storey	56.6%
1 1/2 Storeys	5.4%
2 Storeys	29.5%
More than 2 S.	3.3%
Split	5.2%

** Grouped into the 'Other' category.
*** Sample size too small.

Average Number of Windows: 13.5

Threshold below which estimated percentages have C.V. greater than 25% → **9.1%**

Average Number of Doors: 3.6

Diagram 2.1.b - British Columbia

Characteristics of the Thermal Envelope

- Specific Characteristics -

All houses

Date of Construction:	**All**
Number of Houses:	**942,000**

Air Exchanger:

Have and use:	*8.1%*
All year	4.2%
Season or occas.	3.9%
Never / do not have	*91.9%*

Attic:

With attic:	*71.9%*
Finished:	1.2%
Unfinis.high ceiling	35.6%
Unfinis. low ceiling	35.1%
No attic	28.1%

Windows: Proportion with...

Triple Pane	0.6%
Double Pane	57.3%
Picture window:	10.2%
Other size:	47.1%
Single Pane with Storm W.	7.4%
Single Pane without S. W.	32.5%
Skylights:	2.5%

Windows:

Principal Window Frame Material:	
Metal	60.6%
Wood	37.2%
Fibreglass/Vinyl	**
Other	2.2%
Air Leaks:	
All windows	17.1%
Some windows	14.4%
No leaks	68.5%

Exterior Doors: Proportion...

Made of wood	54.4%
with storm door:	19.6%
without storm door:	34.8%
Made of metal	17.5%
with storm door:	3.8%
without storm door:	13.7%
Patio:	26.3%
Other Doors:	1.8%
Air Leaks:	
All doors	20.3%
Some doors	29.0%
No leaks	50.7%

Garage

Heated garage	**8.2%**
Heated unattached	***
Heated attached	***

Basement:

With basement:	*77.3%*
Full basement	47.5%
Partial basement	11.1%
Crawl space	18.7%
No basement	22.7%

Area of Basement (sq. ft.): 1,092

Basement:	
Heated	69.7%
Not heated	30.3%

** Grouped into the 'Other' category.

*** Sample size too small.

Threshold below which estimated percentages have C.V. greater than 25% → 9.1%

Section 2:

Thermal envelope/L'enveloppe thermique

b) Improvements/Améliorations

Diagram 2.2 - Newfoundland
Improvement of the Thermal Envelope

All houses

Date of Construction:	**All**
Number of Houses:	**166,000**

Improvement of Roof Insulation:

Improvement made	*29.8%*
In 1983 or before	15.3%
In 1984 or after	14.5%
No improvement made	*70.2%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*25.7%*
In 1983 or before	7.2%
In 1984 or after	18.5%
No improvement made:	*74.3%*

Windows:

Replacement of Windows:

Windows replaced:	*35.2%*
In 1983 or before	8.0%
In 1984 or after	27.2%
No windows replaced:	*64.8%*

Windows:

Improv. in air-tightness:

Improvement made	*42.6%*
In 1983 or before	3.1%
In 1984 or after	39.5%
No improvement made	*57.4%*

Exterior Doors:

Replacement of doors:

Doors replaced	*41.7%*
In 1983 or before	5.7%
In 1984 or after	36.0%
No doors replaced	*58.3%*

Improvement of air-tightness:

Improvement made	*49.2%*
In 1983 or before	2.7%
In 1984 or after	46.5%
No improvement	*50.8%*

Garage

Basement:

Insulation of basement walls:

fully	38.2%
partially	20.8%
not insulated	41.0%

Improvement in interior insulation:

Improvement made	*28.1%*
In 1983 or before	8.0%
In 1984 or after	19.1%
No improvement made	*71.9%*

Threshold below which estimated percentages have C.V. greater than 25% → 6.0%

Basement floor:

Insulation of basement floor:

Insulation installed	*14.2%*
fully	9.5%
partially	4.7%
No insulation installed	*85.8%*

Diagram 2.2 - Prince Edward Island
Improvement of the Thermal Envelope



All houses

Date of Construction:	**All**
Number of Houses:	**39,000**

Improvement of Roof Insulation:

Improvement made	*33.3%*
In 1983 or before	18.8%
In 1984 or after	14.5%
No improvement made	*66.7%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*31.7%*
In 1983 or before	14.6%
In 1984 or after	17.1%
No improvement made:	*68.3%*

Windows:

Replacement of Windows:

Windows replaced:	*33.1%*
In 1983 or before	5.7%
In 1984 or after	27.4%
No windows replaced:	*66.9%*

Windows:

Improv. in air-tightness:

Improvement made	*38.0%*
In 1983 or before	3.3%
In 1984 or after	34.7%
No improvement made	*62.0%*

Exterior Doors:

Replacement of doors:

Doors replaced	*33.3%*
In 1983 or before	9.1%
In 1984 or after	24.2%
No doors replaced	*66.7%*

Improvement of air-tightness:

Improvement made	*44.6%*
In 1983 or before	5.1%
In 1984 or after	39.5%
No improvement	*55.4%*

Garage

Basement:

Insulation of basement walls:

fully	15.0%
partially	25.1%
not insulated	59.9%

Improvement in interior insulation:

Improvement made	*33.2%*
In 1983 or before	10.4%
In 1984 or after	22.8%
No improvement made	*66.8%*

Threshold below which estimated percentages have C.V. greater than 25% → 5.1%

Basement floor:

Insulation of basement floor:

Insulation installed	*7.3%*
fully	3.1%
partially	4.2%
No insulation installed	*92.7%*

Diagram 2.2 - Nova Scotia
Improvement of the Thermal Envelope

All houses

Date of Construction:	**All**
Number of Houses:	**266,000**

Improvement of Roof Insulation:

Improvement made	*29.2%*
In 1983 or before	11.9%
In 1984 or after	17.3%
No improvement made	*70.8%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*27.8%*
In 1983 or before	10.8%
In 1984 or after	17.0%
No improvement made:	*72.2%*

Windows:

Replacement of Windows:

Windows replaced:	*35.1%*
In 1983 or before	6.7%
In 1984 or after	28.4%
No windows replaced:	*64.9%*

Windows:

Improv. in air-tightness:

Improvement made	*42.1%*
In 1983 or before	1.9%
In 1984 or after	40.2%
No improvement made	*57.9%*

Exterior Doors:

Replacement of doors:

Doors replaced	*37.9%*
In 1983 or before	6.9%
In 1984 or after	31.0%
No doors replaced	*62.1%*

Improvement of air-tightness:

Improvement made	*46.2%*
In 1983 or before	2.7%
In 1984 or after	43.5%
No improvement	*53.8%*

Garage

Basement:

Insulation of basement walls:

fully	32.0%
partially	18.0%
not insulated	50.0%

Improvement in interior insulation:

Improvement made	*29.1%*
In 1983 or before	7.3%
In 1984 or after	21.8%
No improvement made	*70.9%*

Threshold below which estimated percentages have C.V. greater than 25% → 3.9%

Basement floor:

Insulation of basement floor:

Insulation installed	*13.7%*
fully	8.2%
partially	5.5%
No insulation installed	*86.3%*

Diagram 2.2 - New Brunswick
Improvement of the Thermal Envelope



All houses

Date of Construction:	**All**
Number of Houses:	**219,000**

Improvement of Roof Insulation:

Improvement made	*39.2%*
In 1983 or before	17.5%
In 1984 or after	21.7%
No improvement made	*60.8%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*31.3%*
In 1983 or before	12.0%
In 1984 or after	19.3%
No improvement made:	*68.7%*

Windows:

Replacement of Windows:

Windows replaced:	*37.1%*
In 1983 or before	7.5%
In 1984 or after	29.6%
No windows replaced:	*62.9%*

Windows:

Improv. in air-tightness:

Improvement made	*35.7%*
In 1983 or before	3.3%
In 1984 or after	32.4%
No improvement made	*64.3%*

Exterior Doors:

Replacement of doors:

Doors replaced	*38.3%*
In 1983 or before	7.1%
In 1984 or after	31.2%
No doors replaced	*61.7%*

Improvement of air-tightness:

Improvement made	*47.4%*
In 1983 or before	3.6%
In 1984 or after	43.8%
No improvement	*52.6%*

Garage

Basement:

Insulation of basement walls:

fully	38.2%
partially	19.7%
not insulated	42.1%

Improvement in interior insulation:

Improvement made	*39.0%*
In 1983 or before	13.9%
In 1984 or after	25.1%
No improvement made	*61.0%*

Threshold below which estimated percentages have C.V. greater than 25% → 3.7%

Basement floor:

Insulation of basement floor:

Insulation installed	*11.6%*
fully	6.6%
partially	5.0%
No insulation installed	*88.4%*

Schéma 2.2 - Québec
Amélioration de l'enveloppe thermique



Toutes les maisons

Date de construction:	**Toutes**
Nombre de maisons:	**1,455,000**

Amélioration de l'isolation du toit:

Oui, amélioration	*38.8%*
en 1983 ou avant	21.7%
en 1984 ou après	17.1%
Aucune amélioration	*61.2%*

Murs extérieurs:

Amélioration de l'isolation:

Oui, amélioration	*22.7%*
en 1983 ou avant	7.5%
en 1984 ou après	15.2%
Aucune amélioration	*77.3%*

Fenêtres:

Remplacement des fenêtres:

Oui, remplacement	*39.7%*
en 1983 ou avant	10.4%
en 1984 ou après	29.3%
Aucun remplacement	*60.3%*

Fenêtres:

Amélioration de l'étanchéité:

Oui, amélioration	*40.3%*
en 1983 ou avant	4.3%
en 1984 ou après	36.0%
Aucune amélioration	*59.7%*

Portes extérieures:

Remplacement des portes:

Oui, remplacement	*38.3%*
en 1983 ou avant	7.9%
en 1984 ou après	30.4%
Aucun remplacement	*61.7%*

Amélioration de l'étanchéité:

Oui, amélioration	*52.3%*
en 1983 ou avant	6.3%
en 1984 ou après	46.0%
Aucune amélioration	*47.7%*

Garage

Sous-sol:

Isolation des murs du sous-sol:

entièrement	58.9%
partiellement	22.4%
aucunement	18.7%

Amélioration de l'isolation intérieure:

Oui, amélioration	*41.6%*
en 1983 ou avant	22.7%
en 1984 ou après	18.9%
Aucune amélioration apportée	*58.4%*

Seuil sous lequel les pourcentages ont un C.V. supérieur à 25% ► 9.5%

Plancher du sous-sol:

Isolation du plancher du sous-sol:

Oui, isolation	*20.9%*
entièrement	11.2%
partiellement	9.7%
Aucunement	*79.1%*

Diagram 2.2 - Ontario
Improvement of the Thermal Envelope



All houses

Date of Construction:	**All**
Number of Houses:	**2,697,000**

Improvement of Roof Insulation:

Improvement made	*41.5%*
In 1983 or before	25.1%
In 1984 or after	16.4%
No improvement made	*58.5%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*26.5%*
In 1983 or before	11.9%
In 1984 or after	14.6%
No improvement made:	*73.5%*

Windows:

Replacement of Windows:

Windows replaced:	*37.6%*
In 1983 or before	7.0%
In 1984 or after	30.6%
No windows replaced:	*62.4%*

Windows:

Improv. in air-tightness:

Improvement made	*48.7%*
In 1983 or before	5.3%
In 1984 or after	43.4%
No improvement made	*51.3%*

Exterior Doors:

Replacement of doors:

Doors replaced	*30.7%*
In 1983 or before	8.0%
In 1984 or after	22.7%
No doors replaced	*69.3%*

Improvement of air-tightness:

Improvement made	*52.4%*
In 1983 or before	7.1%
In 1984 or after	45.3%
No improvement	*47.6%*

Garage

Basement:

Insulation of basement walls:

fully	35.2%
partially	29.1%
not insulated	35.7%

Improvement in interior insulation:

Improvement made	*40.2%*
In 1983 or before	14.1%
In 1984 or after	26.1%
No improvement made	*59.8%*

Basement floor:

Insulation of basement floor:

Insulation installed	*6.3%*
fully	3.7%
partially	2.6%
No insulation installed	*93.7%*

Threshold below which estimated percentages have C.V. greater than 25% → 4.2%

Diagram 2.2 - Manitoba
Improvement of the Thermal Envelope



All houses

Date of Construction:	**All**
Number of Houses:	**311,000**

Improvement of Roof Insulation:

Improvement made	*43.3%*
In 1983 or before	26.1%
In 1984 or after	17.2%
No improvement made	*56.7%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*20.4%*
In 1983 or before	9.5%
In 1984 or after	10.9%
No improvement made:	*79.6%*

Windows:

Replacement of Windows:

Windows replaced:	*46.7%*
In 1983 or before	12.2%
In 1984 or after	34.5%
No windows replaced:	*53.3%*

Windows:

Improv. in air-tightness:

Improvement made	*44.0%*
In 1983 or before	3.7%
In 1984 or after	40.3%
No improvement made	*56.0%*

Exterior Doors:

Replacement of doors:

Doors replaced	*41.7%*
In 1983 or before	8.7%
In 1984 or after	33.0%
No doors replaced	*58.3%*

Improvement of air-tightness:

Improvement made	*62.2%*
In 1983 or before	5.0%
In 1984 or after	57.2%
No improvement	*37.8%*

Garage

Basement:

Insulation of basement walls:

fully	50.6%
partially	19.3%
not insulated	30.1%

Improvement in interior insulation:

Improvement made	*33.2%*
In 1983 or before	15.9%
In 1984 or after	17.3%
No improvement made	*66.8%*

Threshold below which estimated percentages have C.V. greater than 25% → 3.5%

Basement floor:

Insulation of basement floor:

Insulation installed	*3.8%*
fully	2.9%
partially	0.9%
No insulation installed	*96.2%*

Diagram 2.2 - Saskatchewan
Improvement of the Thermal Envelope

All houses

Date of Construction:	**All**
Number of Houses:	**304,000**

Improvement of Roof Insulation:

Improvement made	*41.6%*
In 1983 or before	24.7%
In 1984 or after	16.9%
No improvement made	*58.4%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*20.4%*
In 1983 or before	10.2%
In 1984 or after	10.2%
No improvement made:	*79.6%*

Windows:

Replacement of Windows:

Windows replaced:	*36.6%*
In 1983 or before	10.1%
In 1984 or after	26.5%
No windows replaced:	*63.4%*

Windows:

Improv. in air-tightness:

Improvement made	*40.2%*
In 1983 or before	4.4%
In 1984 or after	35.8%
No improvement made	*59.8%*

Exterior Doors:

Replacement of doors:

Doors replaced	*37.1%*
In 1983 or before	8.7%
In 1984 or after	28.4%
No doors replaced	*62.9%*

Improvement of air-tightness:

Improvement made	*58.1%*
In 1983 or before	5.8%
In 1984 or after	52.3%
No improvement	*41.9%*

Garage

Basement:

Insulation of basement walls:

fully	43.8%
partially	20.6%
not insulated	35.6%

Improvement in interior insulation:

Improvement made	*35.1%*
In 1983 or before	14.3%
In 1984 or after	20.8%
No improvement made	*64.9%*

Threshold below which estimated percentages have C.V. greater than 25% → 2.6%

Basement floor:

Insulation of basement floor:

Insulation installed	*4.0%*
fully	2.3%
partially	1.7%
No insulation installed	*96.0%*

Diagram 2.2 - Alberta
Improvement of the Thermal Envelope



All houses

Date of Construction:	**All**
Number of Houses:	**736,000**

Improvement of Roof Insulation:

Improvement made	*31.7%*
In 1983 or before	15.7%
In 1984 or after	16.0%
No improvement made	*68.3%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*15.5%*
In 1983 or before	7.0%
In 1984 or after	8.5%
No improvement made:	*84.5%*

Windows:

Replacement of Windows:

Windows replaced:	*31.7%*
In 1983 or before	6.7%
In 1984 or after	25.0%
No windows replaced:	*68.3%*

Windows:

Improv. in air-tightness:

Improvement made	*33.4%*
In 1983 or before	2.3%
In 1984 or after	31.1%
No improvement made	*66.6%*

Exterior Doors:

Replacement of doors:

Doors replaced	*27.6%*
In 1983 or before	6.6%
In 1984 or after	21.0%
No doors replaced	*72.4%*

Improvement of air-tightness:

Improvement made	*51.5%*
In 1983 or before	3.6%
In 1984 or after	47.9%
No improvement	*48.5%*

Garage

Basement:

Insulation of basement walls:

fully	44.0%
partially	25.0%
not insulated	31.0%

Improvement in interior insulation:

Improvement made	*28.9%*
In 1983 or before	7.4%
In 1984 or after	21.5%
No improvement made	*71.1%*

Threshold below which estimated percentages have C.V. greater than 25% → 6.3%

Basement floor:

Insulation of basement floor:

Insulation installed	*5.6%*
fully	3.6%
partially	2.0%
No insulation installed	*94.4%*

Diagram 2.2 - British Columbia
Improvement of the Thermal Envelope

All houses

Date of Construction:	**All**
Number of Houses:	**942,000**



Improvement of Roof Insulation:

Improvement made	*32.1%*
In 1983 or before	17.7%
In 1984 or after	14.4%
No improvement made	*67.9%*

Exterior Walls:

Improvement to insulation:

Improvement made:	*15.6%*
In 1983 or before	5.9%
In 1984 or after	9.7%
No improvement made:	*84.4%*

Windows:

Replacement of Windows:

Windows replaced:	*29.5%*
In 1983 or before	6.8%
In 1984 or after	22.7%
No windows replaced:	*70.5%*

Windows:

Improv. in air-tightness:

Improvement made	*23.1%*
In 1983 or before	1.9%
In 1984 or after	21.2%
No improvement made	*76.9%*

Exterior Doors:

Replacement of doors:

Doors replaced	*19.7%*
In 1983 or before	2.8%
In 1984 or after	16.9%
No doors replaced	*80.3%*

Improvement of air-tightness:

Improvement made	*46.4%*
In 1983 or before	4.6%
In 1984 or after	41.8%
No improvement	*53.6%*

Garage

Basement:

Insulation of basement walls:

fully	38.7%
partially	28.6%
not insulated	32.7%

Improvement in interior insulation:

Improvement made	*23.1%*
In 1983 or before	9.7%
In 1984 or after	13.4%
No improvement made	*76.9%*

Threshold below which estimated percentages have C.V. greater than 25% ➔ 9.1%

Basement floor:

Insulation of basement floor:

Insulation installed	*6.3%*
fully	4.6%
partially	1.7%
No insulation installed	*93.7%*

Section 3:

Heating system/Le système de chauffage

M121

IMPORTANT NOTE CONCERNING THE FOLLOWING PAGES

THE PAGES WHICH FOLLOW HAVE BEEN FILMED TWICE IN ORDER TO OBTAIN THE BEST REPRODUCTIVE QUALITY

USERS SHOULD CONSULT ALL THE PAGES REPRODUCED ON THE FICHE IN ORDER TO OBTAIN A COMPLETE READING OF THE TEXT.

REMARQUE IMPORTANTE CONCERNANT LES PAGES QUI SUIVENT

LES PAGES SUIVANTES ONT ÉTÉ REPRODUITES EN DOUBLE AFIN D'AMÉLIORER LA QUALITÉ DE REPRODUCTION

LES UTILISATEURS DOIVENT CONSULTER TOUTES LES PAGES REPRODUITES SUR LA FICHE AFIN D'OBTENIR LA LECTURE DU TEXTE INTÉGRAL

micromedia
a division of IHS Canada

20 Victoria Street
Toronto, Ontario M5C 2N8
Tel.: (416) 362-5211
Toll Free: 1-800-387-2689
Fax: (416) 362-6161
Email: info@micromedia.on.ca

Table 3.1

Average Age of Principal Heating System - Houses only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-E.	Nova-Scotia. Nouv.-Ecosse
All Systems /Tous les systèmes	**7,135**	**100**	**39**	**200**
Furnace: Hot Air /Fournaises: air chaud	12.9	10.0	11.1	12.2
Furnace: Hot Water /Fournaise: eau chaude	16.3	14.1	10.5	12.5
Wood Stove /Poêle à bois	11.2	8.9	11.3	9.9
Electric Baseboards /Plinthes chauffantes	10.7	9.9	**	8.9
Other /Autres	9.3	**	**	**

** Insufficient sample size.

Tableau 3.1

Âge moyen du système principal de chauffage - Maisons seulement: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**736**	**942**
13.4	16.7	11.0	14.1	15.2	15.4	14.0
14.4	18.2	17.6	22.1	15.2	17.1	14.8
10.2	12.2	9.6	9.9	13.3	12.9	11.2
9.5	10.5	11.8	16.0	13.1	**	10.2
**	6.9	10.7	**	10.5	**	**

** Taille d'échantillon insuffisante.

Table 3.1

Average Age of Principal Heating System - Houses only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Systems /Tous les systèmes	**7,135**	**166**	**39**	**266**
Furnace: Hot Air /Fournaises: air chaud	12.9	10.0	11.1	12.2
Furnace: Hot Water /Fournaise: eau chaude	16.3	14.1	10.5	12.5
Wood Stove /Poêle à bois	11.2	8.9	11.3	9.9
Electric Baseboards /Plinthes chauffantes	10.7	9.9	**	8.9
Other /Autres	9.3	**	**	**

** Insufficient sample size.

Tableau 3.1

Âge moyen du système principal de chauffage - Maisons seulement: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**736**	**942**
13.4	16.7	11.0	14.1	15.2	15.4	14.0
14.4	18.2	17.6	22.1	15.2	17.1	14.8
10.2	12.2	9.6	9.9	13.3	12.9	11.2
9.5	10.5	11.8	16.0	13.1	**	10.2
**	6.9	10.7	**	10.5	**	**

** Taille d'échantillon insuffisante.

Table 3.4.1

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - All Dwellings: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Furnace: Hot Air /Fournaises: air chaud	**45.8%**	**30.3%**	**34.6%**	**36.8%**
Natural Gas/Gaz naturel	70.0%	0.0%	0.0%	0.0%
Oil/Mazout	16.3%	62.3%	80.0%	83.3%
Electricity/Électricité	7.5%	***	***	***
Other/Autre	6.2%	37.7%	20.0%	16.7%
Furnace: Hot Water /Fournaise: eau chaude	**13.9%**	**9.0%**	**44.9%**	**24.8%**
Wood Stove /Poêle à bois	**7.4%**	**13.1%**	**16.1%**	**11.5%**
Electric Baseboards /Plinthes chauffantes	**26.7%**	**44.8%**	***	**23.8%**
Other /Autres	**6.2%**	**3.0%**	**4.3%**	**3.4%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	43.7%	0.0%	0.0%	0.0%
Oil/Mazout	11.5%	29.7%	73.7%	55.5%
Wood/bois	4.9%	17.8%	14.4%	11.7%
Electricity/Électricité	36.8%	45.7%	***	25.5%
Other/Autre	3.1%	6.8%	11.9%	7.3%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 3.4.1

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage - Ensemble des logements: données provinciales -

New-Bruns. / Nouv.-Bruns.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
31.3%	**14.6%**	**58.3%**	**64.1%**	**75.6%**	**70.3%**	**51.1%**
0.0%	***	76.5%	71.7%	89.8%	95.1%	76.0%
51.4%	43.5%	13.1%	4.5%	4.9%	***	***
12.9%	22.8%	***	18.8%	***	***	***
35.7%	33.7%	10.4%	5.0%	5.3%	4.9%	24.0%
9.4%	**10.6%**	**14.4%**	**8.6%**	**15.2%**	**17.3%**	**15.9%**
9.3%	**10.1%**	**4.6%**	**4.0%**	**2.8%**	**8.3%**	**9.2%**
46.6%	**55.8%**	**15.8%**	**20.5%**	**2.6%**	***	**21.1%**
3.4%	**8.9%**	**7.4%**	**2.7%**	**3.9%**	**4.0%**	**2.6%**
0.0%	6.4%	58.1%	56.0%	85.9%	91.8%	55.3%
25.2%	11.9%	9.8%	3.0%	3.9%	***	8.6%
16.7%	6.6%	***	***	***	***	***
55.1%	71.8%	26.9%	35.2%	6.4%	***	26.3%
3.0%	3.3%	5.2%	5.8%	3.8%	8.2%	9.8%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 3.4.1

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - All Dwellings: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-É.	Nova Scotia Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Furnace: Hot Air /Fournaise: air chaud	**45.9%**	**30.5%**	**34.8%**	**36.0%**
Natural Gas/Gaz naturel	70.0%	0.0%	0.0%	0.0%
Oil/Mazout	16.3%	62.3%	80.0%	83.3%
Electricity/Électricité	7.5%	***	***	***
Other/Autre	6.2%	37.7%	20.0%	16.7%
Furnace: Hot Water /Fournaise: eau chaude	**18.9%**	**9.0%**	**44.9%**	**24.8%**
Wood Stove /Poêle à bois	**7.4%**	**15.1%**	**16.1%**	**11.5%**
Electric Baseboards /Plinthes chauffantes	**26.7%**	**44.0%**	***	**25.0%**
Other /Autres	**6.2%**	**3.0%**	**4.3%**	**3.4%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	43.7%	0.0%	0.0%	0.0%
Oil/Mazout	11.5%	29.7%	73.7%	55.5%
Wood/bois	4.9%	17.8%	14.4%	11.7%
Electricity/Électricité	36.8%	45.7%	***	25.5%
Other/Autre	3.1%	6.8%	11.9%	7.3%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 3.4.1

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage - Ensemble des logements: données provinciales -

New-Bruns. / Nouv.-Bruns.	Quebec / Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**388**	**985**	**1,303**
31.3%	**14.6%**	**58.3%**	**64.1%**	**75.6%**	**70.3%**	**51.1%**
0.0%	***	76.5%	71.7%	89.8%	95.1%	76.0%
51.4%	43.5%	13.1%	4.5%	4.9%	***	***
12.9%	22.8%	***	18.8%	***	***	***
35.7%	33.7%	10.4%	5.0%	5.3%	4.9%	24.0%
9.4%	**10.0%**	**14.4%**	**8.6%**	**15.2%**	**17.3%**	**15.9%**
9.2%	**10.1%**	**4.6%**	**4.0%**	**3.5%**	**5.3%**	**9.2%**
46.6%	**65.8%**	**18.5%**	**20.5%**	**2.6%**	***	**21.1%**
3.4%	**0.9%**	**7.4%**	**2.7%**	**3.9%**	**4.0%**	**2.6%**
0.0%	6.4%	58.1%	56.0%	85.9%	91.8%	55.3%
25.2%	11.9%	9.8%	3.0%	3.9%	***	8.6%
16.7%	6.6%	***	***	***	***	***
55.1%	71.8%	26.9%	35.2%	6.4%	***	26.3%
3.0%	3.3%	5.2%	5.8%	3.8%	8.2%	9.8%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 3.4.2

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - Houses only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-E.	Nova-Scotia - Nouv.-Écosse
All Houses ('000) /Toutes les maisons ('000)	**7,135**	**188**	**38**	**308**
Furnace: Hot Air /Fournaise: air chaud	**53.7%**	**52.7%**	**37.7%**	**41.5%**
Natural Gas/Gaz naturel	71.5%	0.0%	0.0%	0.0%
Oil/Mazout	16.3%	61.2%	78.2%	81.9%
Electricity/Électricité	5.4%	***	***	***
Other/Autre	6.8%	38.8%	21.8%	18.1%
Furnace: Hot Water /Fournaise: eau chaude	**8.8%**	**7.9%**	**39.5%**	**17.9%**
Wood Stove /Poêle à bois	**10.7%**	**14.7%**	**18.5%**	**14.4%**
Electric Baseboards /Plinthes chauffantes	**18.4%**	**41.9%**	***	**21.3%**
Other /Autres	**8.9%**	**2.8%**	**4.7%**	**3.8%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	47.7%	0.0%	0.0%	0.0%
Oil/Mazout	13.4%	30.4%	71.5%	53.8%
Wood/bois	6.9%	19.9%	16.5%	14.3%
Electricity/Électricité	27.9%	42.4%	***	23.0%
Other/Autre	4.1%	7.3%	12.0%	8.9%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 3.4.2

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage - Maisons seulement: données provinciales -

New-Bruns. / Nouv.-Bruns.	Quebec / Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
219	1,445	2,697	311	294	758	942
85.3%	18.7%	70.9%	78.0%	87.7%	83.5%	68.1%
0.0%	***	77.2%	71.0%	89.5%	95.4%	76.8%
49.7%	47.2%	14.0%	***	5.1%	***	***
12.9%	20.7%	***	19.0%	***	***	***
37.4%	32.1%	8.8%	10.0%	5.4%	4.6%	23.2%
6.3%	***	***	***	***	***	***
11.1%	15.9%	6.4%	5.2%	3.1%	***	12.7%
45.7%	45.8%	8.3%	12.1%	***	***	13.4%
3.7%	16.9%	10.5%	4.6%	9.0%	16.5%	7.9%
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)						
0.0%	***	61.6%	60.5%	84.9%	93.7%	59.3%
24.0%	16.1%	12.0%	3.7%	4.6%	***	10.0%
19.8%	11.8%	***	***	***	***	***
52.7%	64.2%	19.6%	28.7%	6.0%	***	18.1%
3.5%	7.9%	6.8%	7.1%	4.5%	6.3%	12.6%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 3.4.2

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - Houses only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Houses ('000) /Toutes les maisons ('000)	**7,135**	**186**	**39**	**266**
Furnace: Hot Air /Fournaises: air chaud	**58.7%**	**32.7%**	**37.7%**	**42.8%**
Natural Gas/Gaz naturel	71.5%	0.0%	0.0%	0.0%
Oil/Mazout	16.3%	61.2%	78.2%	81.9%
Electricity/Électricité	5.4%	***	***	***
Other/Autre	6.8%	38.8%	21.8%	18.1%
Furnace: Hot Water /Fournaise: eau chaude	**5.8%**	**7.9%**	**39.2%**	**17.9%**
Wood Stove /Poêle à bois	**10.7%**	**14.7%**	**18.5%**	**14.4%**
Electric Baseboards /Plinthes chauffantes	**18.4%**	**41.9%**	***	**21.3%**
Other /Autres	**6.9%**	**2.8%**	**4.7%**	**3.6%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	47.7%	0.0%	0.0%	0.0%
Oil/Mazout	13.4%	30.4%	71.5%	53.8%
Wood/bois	6.9%	19.9%	16.5%	14.3%
Electricity/Électricité	27.9%	42.4%	***	23.0%
Other/Autre	4.1%	7.3%	12.0%	8.9%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'

Tableau 3.4.2

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage - Maisons seulement: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**738**	**942**
35.3%	**18.7%**	**70.9%**	**78.0%**	**87.7%**	**83.5%**	**66.1%**
0.0%	***	77.2%	71.0%	89.5%	95.4%	76.8%
49.7%	47.2%	14.0%	***	5.1%	***	***
12.9%	20.7%	***	19.0%	***	***	***
37.4%	32.1%	8.8%	10.0%	5.4%	4.6%	23.2%
6.3%	***	***	***	***	***	***
11.1%	**18.9%**	**6.4%**	**5.2%**	**3.4%**	***	**12.7%**
43.7%	**45.6%**	**9.3%**	**12.1%**	***	***	**13.4%**
3.7%	**16.8%**	**13.5%**	**4.6%**	**9.0%**	**16.5%**	**7.9%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)						
0.0%	***	61.6%	60.5%	84.9%	93.7%	59.3%
24.0%	16.1%	12.0%	3.7%	4.6%	***	10.0%
19.8%	11.8%	***	***	***	***	***
52.7%	64.2%	19.6%	28.7%	6.0%	***	18.1%
3.5%	7.9%	6.8%	7.1%	4.5%	6.3%	12.6%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 3.4.3

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - Apartments only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Apartments ('000) /Tous les appartements ('000)	**3,224**	**20**	**7**	**70**
Furnace: Hot Air /Fournaises: air chaud	**17.8%**	***	***	***
Furnace: Hot Water /Fournaise: eau chaude	**32.5%**	***	**76.1%**	**50.6%**
Electric Baseboards /Plinthes chauffantes	**44.8%**	**65.3%**	***	**32.2%**
Other /Autres	**4.9%**	**34.7%**	**23.9%**	**17.2%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	33.7%	0.0%	0.0%	0.0%
Oil/Mazout	6.7%	24.0%	86.8%	62.3%
Wood/bois	***	***	***	***
Electricity/Électricité	58.8%	72.6%	***	35.7%
Other/Autre	0.8%	3.4%	13.2%	2.0%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 3.4.3

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage

- Appartements seulement: données provinciales -

New.-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
42	**1,256**	**1,113**	**92**	**64**	**198**	**362**
***	***	**27.9%**	**18.2%**	**18.7%**	***	***
25.6%	**16.8%**	**37.6%**	**30.1%**	**73.6%**	**63.6%**	**45.6%**
61.8%	**67.5%**	**29.9%**	**48.2%**	***	***	**41.5%**
12.6%	**15.7%**	**4.6%**	**3.5%**	**7.7%**	**36.4%**	**12.9%**
0.0%	11.3%	48.6%	39.3%	90.8%	83.5%	42.0%
31.4%	***	***	***	***	***	***
***	***	***	***	***	***	***
67.3%	81.4%	46.4%	59.7%	8.4%	***	53.8%
1.3%	7.3%	5.0%	1.0%	0.8%	16.5%	4.2%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 3.4.3

Distribution of Dwellings According to Type of Construction by Type of Principal System and Heating Fuel - Apartments only: Provincial results -

Principal System and Fuel /Système principal et combustible	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-É.	Nova-Scotia Nouv.-Écosse
All Apartments ('000) /Tous les appartements ('000)	**3,224**	**20**	**7**	**70**
Furnace: Hot Air /Fournaises: air chaud	**17.9%**	***	***	***
Furnace: Hot Water /Fournaise: eau chaude	**32.5%**	***	**76.1%**	**50.6%**
Electric Baseboards /Plinthes chauffantes	**44.9%**	**65.2%**	***	**32.2%**
Other /Autres	**4.9%**	**34.7%**	**23.9%**	**17.2%**
Fuel (All Systems Combined) / Combustible (tous systèmes confondus)				
Natural Gas/Gaz naturel	33.7%	0.0%	0.0%	0.0%
Oil/Mazout	6.7%	24.0%	86.8%	62.3%
Wood/bois	***	***	***	***
Electricity/Électricité	58.8%	72.6%	***	35.7%
Other/Autre	0.8%	3.4%	13.2%	2.0%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 3.4.3

Répartition des logements selon le type de construction par type de système principal et combustible de chauffage

- Appartements seulement: données provinciales -

New Brunsw. / Nouv. Brunsw.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
42	1,256	1,113	92	64	198	362
***	***	27.9%	18.3%	18.7%	***	***
25.0%	16.8%	37.6%	30.1%	73.6%	63.9%	45.6%
61.8%	67.5%	28.9%	48.2%	***	***	41.5%
12.8%	15.7%	4.6%	3.5%	7.7%	36.4%	12.9%
0.0%	11.3%	48.6%	39.3%	90.8%	83.5%	42.0%
31.4%	***	***	***	***	***	***
***	***	***	***	***	***	***
67.3%	81.4%	46.4%	59.7%	8.4%	***	53.8%
1.3%	7.3%	5.0%	1.0%	0.8%	16.5%	4.2%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Section 4:

Air conditionning/La climatisation

M121

IMPORTANT NOTE CONCERNING THE FOLLOWING PAGES

THE PAGES WHICH FOLLOW HAVE BEEN FILMED TWICE IN ORDER TO OBTAIN THE BEST REPRODUCTIVE QUALITY

USERS SHOULD CONSULT ALL THE PAGES REPRODUCED ON THE FICHE IN ORDER TO OBTAIN A COMPLETE READING OF THE TEXT.

REMARQUE IMPORTANTE CONCERNANT LES PAGES QUI SUIVENT

LES PAGES SUIVANTES ONT ÉTÉ REPRODUITES EN DOUBLE AFIN D'AMÉLIORER LA QUALITÉ DE REPRODUCTION

LES UTILISATEURS DOIVENT CONSULTER TOUTES LES PAGES REPRODUITES SUR LA FICHE AFIN D'OBTENIR LA LECTURE DU TEXTE INTÉGRAL

micromedia
a division of IHS Canada

20 Victoria Street
Toronto, Ontario M5C 2N8
Tel.: (416) 362-5211
Toll Free: 1-800-387-2689
Fax: (416) 362-6161
Email: info@micromedia.on.ca

Table 4.1

Air conditioning and use of fans in the Dwellings - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**48**	**336**
Air-conditioned Dwellings /Logements climatisés	**26.5%**	**	**	**3.3%**
Age of equipment /Âge des appareils	7.8	**	**	8.7
Type of equipment /Type d'équipement				
Central or Heat Pump /Central ou thermopompe	58.2%	**	**	**
Age of System /Âge du système	7.0	**	**	**
Window or Room /Fenêtre ou mural	41.8%	**	**	**
Age of Principal Appliance /Âge de l'appareil principal	9.1	**	**	**
Number of Fans Used /Nombre de ventilateurs utilisés				
Ceiling/Au plafond				
None/Aucun	60.6%	69.0%	60.6%	63.0%
One/Un	24.5%	24.4%	28.8%	25.5%
Two or more/Deux ou plus	14.9%	6.7%	10.7%	11.5%
Portable/Portatifs				
None/Aucun	59.3%	85.6%	56.1%	56.4%
One/Un	28.1%	11.3%	32.6%	29.4%
Two or more/Deux ou plus	12.6%	3.1%	11.3%	14.2%

** Insufficient sample size.

Tableau 4.1

Climatisation et ventilation des logements - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
7.3%	**15.2%**	**46.5%**	**49.7%**	**38.5%**	**6.6%**	**8.0%**
8.0	7.4	7.6	8.7	9.2	9.5	7.8
21.5%	40.0%	64.1%	57.2%	59.6%	**	**
7.6	6.0	6.9	7.8	7.8	**	**
78.5%	60.0%	35.9%	42.8%	40.4%	**	**
8.1	8.4	9.0	10.0	11.4	**	**
52.1%	59.0%	56.8%	68.6%	61.8%	62.7%	70.3%
30.3%	25.3%	24.7%	22.5%	27.9%	25.7%	19.7%
17.6%	15.7%	18.5%	8.9%	10.3%	11.6%	10.0%
55.5%	65.4%	60.3%	53.9%	45.8%	47.5%	55.1%
30.9%	26.4%	25.0%	29.4%	37.1%	38.7%	31.9%
13.6%	8.2%	14.8%	16.6%	17.1%	13.8%	13.0%

** Taille d'échantillon insuffisante.

Table 4.1

Air conditioning and use of fans in the Dwellings - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**48**	**336**
Air-conditioned Dwellings /Logements climatisés	**26.2%**	**	**	**3.3%**
Age of equipment /Âge des appareils	7.8	**	**	8.7
Type of equipment /Type d'équipement				
Central or Heat Pump /Central ou thermopompe	58.2%	**	**	**
Age of System /Âge du système	7.0	**	**	**
Window or Room /Fenêtre ou mural	41.8%	**	**	**
Age of Principal Appliance /Âge de l'appareil principal	9.1	**	**	**
Number of Fans Used /Nombre de ventilateurs utilisés				
Ceiling/Au plafond				
None/Aucun	60.6%	69.0%	60.6%	63.0%
One/Un	24.5%	24.4%	28.8%	25.5%
Two or more/Deux ou plus	14.9%	6.7%	10.7%	11.5%
Portable/Portatifs				
None/Aucun	59.3%	85.6%	56.1%	56.4%
One/Un	28.1%	11.3%	32.6%	29.4%
Two or more/Deux ou plus	12.6%	3.1%	11.3%	14.2%

** Insufficient sample size.

Tableau 4.1

Climatisation et ventilation des logements - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
7.3%	**15.2%**	**46.5%**	**49.7%**	**38.5%**	**6.6%**	**8.0%**
8.0	7.4	7.6	8.7	9.2	9.5	7.8
21.5%	40.0%	64.1%	57.2%	59.6%	**	**
7.6	6.0	6.9	7.8	7.8	**	**
78.5%	60.0%	35.9%	42.8%	40.4%	**	**
8.1	8.4	9.0	10.0	11.4	**	**
52.1%	59.0%	56.8%	68.6%	61.8%	62.7%	70.3%
30.3%	25.3%	24.7%	22.5%	27.9%	25.7%	19.7%
17.6%	15.7%	18.5%	8.9%	10.3%	11.6%	10.0%
55.5%	65.4%	60.3%	53.9%	45.8%	47.5%	55.1%
30.9%	26.4%	25.0%	29.4%	37.1%	38.7%	31.9%
13.6%	8.2%	14.8%	16.6%	17.1%	13.8%	13.0%

** Taille d'échantillon insuffisante.

Table/Tableau 4.2

Air conditioning : detailed results for three Provinces /Climatisation: résultats détaillés pour trois provinces - All Dwellings/Tous les logements -

	Canada	Ontario	Manitoba	Saskat-chewan
Central System or Heat Pump /Central ou thermopompe	**58.2%**	**64.1%**	**57.2%**	**59.6%**
Age of system /Âge du système				
5 years or less/5 ans ou moins	56.0%	55.8%	48.8%	47.4%
6-10 years/de 6 à 10 ans	23.9%	25.1%	26.1%	29.7%
11-15 years/de 11 à 15 ans	11.7%	11.6%	13.0%	13.6%
More than 15 years/Plus de 15 ans	8.3%	7.5%	12.0%	9.3%
Frequency of use in previous year /Fréquence d'utilisation l'année précédente				
Never/Jamais	9.8%	7.7%	7.7%	4.5%
A few days/Quelques jours	42.5%	46.4%	55.4%	53.5%
Less than ½ the summer /Moins de la ½ de l'été	23.6%	22.0%	22.6%	24.9%
About ½ the summer /Environ la ½ de l'été	10.7%	12.3%	5.4%	6.9%
More than ½ the summer /Plus de la ½ de l'été	13.5%	11.6%	8.9%	10.2%
Window or Room /Climatiseur de fenêtre ou mural	**41.8%**	**35.9%**	**42.8%**	**40.4%**
Age of principal appliance /Âge de l'appareil principal				
5 years or less/5 ans ou moins	31.8%	35.8%	29.8%	15.5%
6-10 years/de 6 à 10 ans	36.5%	34.0%	29.8%	34.1%
11-15 years/de 11 à 15 ans	18.5%	14.5%	22.3%	31.8%
More than 15 years/Plus de 15 ans	13.3%	15.7%	18.1%	18.6%
Frequency of use in previous year /Fréquence d'utilisation l'année précédente				
Never/Jamais	13.6%	14.8%	13.9%	14.1%
A few days/Quelques jours	43.5%	47.6%	55.5%	46.9%
Less than ½ the summer /Moins de la ½ de l'été	21.0%	22.2%	19.6%	18.7%
About ½ the summer /Environ la ½ de l'été	11.2%	9.4%	4.2%	9.2%
More than ½ the summer /Plus de la ½ de l'été	10.8%	6.0%	6.8%	11.1%
Number of Appliances /Nombre d'appareils				
One/Un	86.1%	83.5%	92.1%	96.5%
Two or more/Deux ou plus	13.9%	16.5%	7.9%	3.5%

Table/Tableau 4.2

Air conditioning : detailed results for three Provinces /Climatisation: résultats détaillés pour trois provinces - All Dwellings/Tous les logements -

	Canada	Ontario	Manitoba	Saskat-chewan
Central System or Heat Pump /Central ou thermopompe	**58.2%**	**64.1%**	**57.2%**	**59.6%**
Age of system /Âge du système				
5 years or less/5 ans ou moins	56.0%	55.8%	48.8%	47.4%
6-10 years/de 6 à 10 ans	23.9%	25.1%	26.1%	29.7%
11-15 years/de 11 à 15 ans	11.7%	11.6%	13.0%	13.6%
More than 15 years/Plus de 15 ans	8.3%	7.5%	12.0%	9.3%
Frequency of use in previous year /Fréquence d'utilisation l'année précédente				
Never/Jamais	9.8%	7.7%	7.7%	4.5%
A few days/Quelques jours	42.5%	46.4%	55.4%	53.5%
Less than ½ the summer /Moins de la ½ de l'été	23.6%	22.0%	22.6%	24.9%
About ½ the summer /Environ la ½ de l'été	10.7%	12.3%	5.4%	6.9%
More than ½ the summer /Plus de la ½ de l'été	13.5%	11.6%	8.9%	10.2%
Window or Room /Climatiseur de fenêtre ou mural	**41.8%**	**35.9%**	**42.8%**	**40.4%**
Age of principal appliance /Âge de l'appareil principal				
5 years or less/5 ans ou moins	31.8%	35.8%	29.8%	15.5%
6-10 years/de 6 à 10 ans	36.5%	34.0%	29.8%	34.1%
11-15 years/de 11 à 15 ans	18.5%	14.5%	22.3%	31.8%
More than 15 years/Plus de 15 ans	13.3%	15.7%	18.1%	18.6%
Frequency of use in previous year /Fréquence d'utilisation l'année précédente				
Never/Jamais	13.6%	14.8%	13.9%	14.1%
A few days/Quelques jours	43.5%	47.6%	55.5%	46.9%
Less than ½ the summer /Moins de la ½ de l'été	21.0%	22.2%	19.6%	18.7%
About ½ the summer /Environ la ½ de l'été	11.2%	9.4%	4.2%	9.2%
More than ½ the summer /Plus de la ½ de l'été	10.8%	6.0%	6.8%	11.1%
Number of Appliances /Nombre d'appareils				
One/Un	86.1%	83.5%	92.1%	96.5%
Two or more/Deux ou plus	13.9%	16.5%	7.9%	3.5%

Section 5:

Appliances/Les électroménagers

M121

IMPORTANT NOTE CONCERNING THE FOLLOWING PAGES

THE PAGES WHICH FOLLOW HAVE BEEN FILMED TWICE IN ORDER TO OBTAIN THE BEST REPRODUCTIVE QUALITY

USERS SHOULD CONSULT ALL THE PAGES REPRODUCED ON THE FICHE IN ORDER TO OBTAIN A COMPLETE READING OF THE TEXT.

REMARQUE IMPORTANTE CONCERNANT LES PAGES QUI SUIVENT

LES PAGES SUIVANTES ONT ÉTÉ REPRODUITES EN DOUBLE AFIN D'AMÉLIORER LA QUALITÉ DE REPRODUCTION

LES UTILISATEURS DOIVENT CONSULTER TOUTES LES PAGES REPRODUITES SUR LA FICHE AFIN D'OBTENIR LA LECTURE DU TEXTE INTÉGRAL

micromedia
a division of IHS Canada

20 Victoria Street
Toronto, Ontario M5C 2N8
Tel.: (416) 362-5211
Toll Free: 1-800-387-2689
Fax: (416) 362-6161
Email: info@micromedia.on.ca

Table 5.1.1

Refrigerator
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings with Refrigerator /Logements utilisant un réfrigérateur	99.6%	99.4%	99.2%	99.9%
Number of Refrigerators/Nombre de réfrigérateurs				
One/Un	81.7%	91.6%	93.6%	91.3%
Two or more/Deux ou plus	18.3%	8.4%	6.4%	8.7%
Main Refrigerator/Réfrigérateur principal				
Age of Refrigerator/Âge du réfrigérateur				
1 year or less/1 an ou moins	9.3%	6.5%	7.9%	7.9%
2-5 years/de 2 à 5 ans	25.5%	29.5%	25.7%	26.2%
6-10 years/de 6 à 10 ans	28.4%	22.7%	25.7%	25.3%
11-15 years/de 11 à 15 ans	18.8%	19.7%	18.7%	19.8%
16-20 years/de 16 à 20 ans	10.4%	14.8%	14.3%	13.4%
More than 20 years/Plus de 20 ans	7.6%	6.9%	7.7%	7.3%
Average age/Âge moyen	9.6	10.0	10.1	9.9
Capacity/Capacité				
Less than 12.5 cu. ft./Moins de 12,5 pi^3	9.4%	12.5%	12.2%	10.1%
12.5-16.4 cu. ft./de 12,5 à 16,4 pi^3	48.9%	51.6%	57.1%	56.8%
More than 16.4 cu. ft./Plus de 16.4 pi^3	41.7%	35.9%	30.7%	33.1%
Type of Doors/Type de portes				
Single/Une seule porte	17.2%	29.6%	19.5%	19.2%
Top and Bottom/Portes superposées	72.6%	62.5%	77.5%	75.8%
Other/Autre	10.2%	7.9%	3.0%	5.0%
Type of Freezer/Type de congélateur				
Frost free/Automatique	80.9%	72.4%	72.1%	79.2%
Manual or none/Manuel ou aucun	19.1%	27.6%	27.9%	20.8%
Secondary Refrigerator/Réfrigérateur secondaire				
Average age/Âge moyen	18.1	13.3	18.0	17.2
Refrigerator at country home /Réfrigérateur à la résidence secondaire	6.2%	6.9%	6.2%	5.0%

Tableau 5.1.1

Le réfrigérateur

- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
901	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
100.0%	99.6%	99.2%	99.9%	99.8%	99.6%	99.9%
91.7%	82.3%	79.8%	78.5%	72.6%	81.6%	83.3%
8.3%	17.7%	20.2%	21.5%	27.4%	18.4%	16.7%
7.3%	9.4%	9.5%	6.4%	5.3%	7.5%	13.3%
25.9%	25.9%	27.2%	19.0%	17.6%	18.5%	27.1%
25.7%	29.4%	29.1%	25.7%	25.6%	28.0%	28.2%
19.5%	19.4%	16.9%	20.8%	26.2%	25.1%	15.5%
14.9%	9.5%	9.3%	16.0%	13.9%	14.2%	8.4%
6.7%	6.4%	8.0%	12.0%	11.4%	6.8%	7.4%
10.0	9.3	9.4	11.6	11.7	10.6	8.8
9.8%	8.2%	9.2%	13.1%	14.2%	8.9%	9.2%
52.4%	42.6%	47.4%	53.3%	53.8%	55.7%	54.7%
37.8%	49.2%	43.4%	33.6%	32.0%	35.4%	36.1%
16.5%	12.4%	17.0%	26.5%	22.0%	21.8%	17.7%
76.2%	73.2%	72.3%	67.9%	73.8%	71.5%	74.0%
7.3%	14.4%	10.7%	5.6%	4.2%	6.7%	8.3%
80.4%	84.0%	81.0%	73.6%	76.3%	79.0%	81.4%
19.6%	16.0%	19.0%	26.4%	23.7%	21.0%	18.6%
17.3	17.8	17.8	21.9	21.7	19.1	16.7
6.7%	7.3%	6.8%	7.4%	5.9%	6.0%	2.1%

Table 5.1.1

Refrigerator
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings with Refrigerator /Logements utilisant un réfrigérateur	99.6%	99.4%	99.2%	99.9%
Number of Refrigerators/Nombre de réfrigérateurs				
One/Un	81.7%	91.6%	93.6%	91.3%
Two or more/Deux ou plus	18.3%	8.4%	6.4%	8.7%
Main Refrigerator/Réfrigérateur principal				
Age of Refrigerator/Âge du réfrigérateur				
1 year or less/1 an ou moins	9.3%	6.5%	7.9%	7.9%
2-5 years/de 2 à 5 ans	25.5%	29.5%	25.7%	26.2%
6-10 years/de 6 à 10 ans	28.4%	22.7%	25.7%	25.3%
11-15 years/de 11 à 15 ans	18.8%	19.7%	18.7%	19.8%
16-20 years/de 16 à 20 ans	10.4%	14.8%	14.3%	13.4%
More than 20 years/Plus de 20 ans	7.6%	6.9%	7.7%	7.3%
Average age/Âge moyen	9.6	10.0	10.1	9.9
Capacity/Capacité				
Less than 12.5 cu. ft./Moins de 12,5 pi^3	9.4%	12.5%	12.2%	10.1%
12.5-16.4 cu. ft./de 12,5 à 16,4 pi^3	48.9%	51.6%	57.1%	56.8%
More than 16.4 cu. ft./Plus de 16.4 pi^3	41.7%	35.9%	30.7%	33.1%
Type of Doors/Type de portes				
Single/Une seule porte	17.2%	29.6%	19.5%	19.2%
Top and Bottom/Portes superposées	72.6%	62.5%	77.5%	75.8%
Other/Autre	10.2%	7.9%	3.0%	5.0%
Type of Freezer/Type de congélateur				
Frost free/Automatique	80.9%	72.4%	72.1%	79.2%
Manual or none/Manuel ou aucun	19.1%	27.6%	27.9%	20.8%
Secondary Refrigerator/Réfrigérateur secondaire				
Average age/Âge moyen	18.1	13.3	18.0	17.2
Refrigerator at country home /Réfrigérateur à la résidence secondair	6.2%	6.9%	6.2%	5.0%

Tableau 5.1.1

Le réfrigérateur
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
100.0%	99.6%	99.2%	99.9%	99.8%	99.6%	99.9%
91.7%	82.3%	79.8%	78.5%	72.6%	81.6%	83.3%
8.3%	17.7%	20.2%	21.5%	27.4%	18.4%	16.7%
7.3%	9.4%	9.5%	6.4%	5.3%	7.5%	13.3%
25.9%	25.9%	27.2%	19.0%	17.6%	18.5%	27.1%
25.7%	29.4%	29.1%	25.7%	25.6%	28.0%	28.2%
19.5%	19.4%	16.9%	20.8%	26.2%	25.1%	15.5%
14.9%	9.5%	9.3%	16.0%	13.9%	14.2%	8.4%
6.7%	6.4%	8.0%	12.0%	11.4%	6.8%	7.4%
10.0	9.3	9.4	11.6	11.7	10.6	8.8
9.8%	8.2%	9.2%	13.1%	14.2%	8.9%	9.2%
52.4%	42.6%	47.4%	53.3%	53.8%	55.7%	54.7%
37.8%	49.2%	43.4%	33.6%	32.0%	35.4%	36.1%
16.5%	12.4%	17.0%	26.5%	22.0%	21.8%	17.7%
76.2%	73.2%	72.3%	67.9%	73.8%	71.5%	74.0%
7.3%	14.4%	10.7%	5.6%	4.2%	6.7%	8.3%
80.4%	84.0%	81.0%	73.6%	76.3%	79.0%	81.4%
19.6%	16.0%	19.0%	26.4%	23.7%	21.0%	18.6%
17.3	17.8	17.8	21.9	21.7	19.1	16.7
6.7%	7.3%	6.8%	7.4%	5.9%	6.0%	2.1%

Table 5.1.2a

Cooking Appliances
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Age of Stove or Oven/Âge de la cuisinière ou du four				
1 year or less/1 an ou moins	7.1%	5.7%	6.9%	6.8%
2-5 years/de 2 à 5 ans	21.8%	25.4%	25.2%	26.5%
6-10 years/de 6 à 10 ans	26.6%	29.0%	24.4%	24.5%
11-15 years/de 11 à 15 ans	20.2%	18.8%	18.3%	16.4%
16-20 years/de 16 a 20 ans	11.8%	14.3%	15.5%	14.6%
More than 20 years/Plus de 20 ans	12.5%	6.7%	9.7%	11.2%
Average age/Âge moyen	10.9	10.0	10.5	10.6
Type of Appliance/Type d'appareil				
Regular stove/Cuisinière ordinaire	91.3%	92.0%	93.2%	91.9%
Other/Autre	8.7%	8.0%	6.8%	8.1%
Fuel Used/Combustible utilisé				
Electricity/Électricité	96.3%	96.4%	87.1%	91.7%
Other/Autre	3.7%	3.6%	12.9%	8.3%
When electricity is used/Lorsque l'électricité est utilisé...				
Use of Self-Cleaning Feature /Utilisation de l'autonettoyant	19.4%	11.1%	10.2%	10.9%
Use of a Convection Oven /Utilisation d'un four à convection	4.9%	3.0%	0.9%	5.3%
Ventilation/Ventilation				
With range Hood/Avec hotte	67.0%	60.1%	50.9%	52.9%
With exhaust/Avec sortie	45.3%	34.3%	22.6%	26.3%
Without exhaust/Sans sortie	21.7%	25.8%	28.3%	26.6%
Without range Hood/Sans hotte	33.0%	39.9%	49.1%	47.1%

Tableau 5.1.2a

Les appareils de cuisson
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
281	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
6.6%	6.5%	7.8%	4.8%	5.0%	5.6%	9.7%
21.8%	23.0%	23.2%	15.5%	15.3%	17.0%	20.1%
24.5%	26.9%	26.2%	26.4%	24.1%	24.4%	30.1%
17.4%	22.7%	18.4%	21.4%	26.6%	26.6%	15.6%
16.7%	9.0%	11.6%	15.5%	14.5%	13.3%	13.1%
13.0%	12.0%	12.8%	16.4%	14.6%	13.2%	11.5%
11.4	10.6	10.7	12.4	12.3	11.8	10.5
91.1%	87.4%	92.9%	94.7%	94.0%	91.1%	92.9%
8.9%	12.6%	7.1%	5.3%	6.0%	8.9%	7.1%
97.0%	98.8%	95.3%	99.3%	98.6%	92.7%	96.5%
3.0%	1.2%	4.7%	0.7%	1.4%	7.3%	3.5%
11.5%	17.1%	19.9%	18.9%	18.7%	24.4%	24.6%
2.8%	4.9%	5.2%	4.0%	3.1%	4.4%	6.0%
60.7%	77.3%	62.3%	53.4%	50.0%	62.5%	78.1%
30.1%	62.6%	37.7%	34.2%	22.7%	35.1%	58.6%
30.6%	14.7%	24.6%	19.2%	27.3%	27.4%	19.5%
39.3%	22.7%	37.7%	46.6%	50.0%	37.5%	21.9%

Table 5.1.2a

Cooking Appliances
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**48**	**336**
Age of Stove or Oven/Âge de la cuisinière ou du four				
1 year or less/1 an ou moins	7.1%	5.7%	6.9%	6.8%
2-5 years/de 2 à 5 ans	21.8%	25.4%	25.2%	26.5%
6-10 years/de 6 à 10 ans	26.6%	29.0%	24.4%	24.5%
11-15 years/de 11 à 15 ans	20.2%	18.8%	18.3%	16.4%
16-20 years/de 16 à 20 ans	11.8%	14.3%	15.5%	14.6%
More than 20 years/Plus de 20 ans	12.5%	6.7%	9.7%	11.2%
Average age/Âge moyen	10.9	10.0	10.5	10.6
Type of Appliance/Type d'appareil				
Regular stove/Cuisinière ordinaire	91.3%	92.0%	93.2%	91.9%
Other/Autre	8.7%	8.0%	6.8%	8.1%
Fuel Used/Combustible utilisé				
Electricity/Électricité	96.3%	96.4%	87.1%	91.7%
Other/Autre	3.7%	3.6%	12.9%	8.3%
When electricity is used/Lorsque l'électricité est utilisé...				
Use of Self-Cleaning Feature /Utilisation de l'autonettoyant	19.4%	11.1%	10.2%	10.9%
Use of a Convection Oven /Utilisation d'un four à convection	4.9%	3.0%	0.9%	5.3%
Ventilation/Ventilation				
With range Hood/Avec hotte	67.0%	60.1%	50.9%	52.9%
With exhaust/Avec sortie	45.3%	34.3%	22.6%	26.3%
Without exhaust/Sans sortie	21.7%	25.8%	28.3%	26.6%
Without range Hood/Sans hotte	33.0%	39.9%	49.1%	47.1%

Tableau 5.1.2a

Les appareils de cuisson
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
361	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
6.6%	6.5%	7.8%	4.8%	5.0%	5.6%	9.7%
21.8%	23.0%	23.2%	15.5%	15.3%	17.0%	20.1%
24.5%	26.9%	26.2%	26.4%	24.1%	24.4%	30.1%
17.4%	22.7%	18.4%	21.4%	26.6%	26.6%	15.6%
16.7%	9.0%	11.6%	15.5%	14.5%	13.3%	13.1%
13.0%	12.0%	12.8%	16.4%	14.6%	13.2%	11.5%
11.4	10.6	10.7	12.4	12.3	11.8	10.5
91.1%	87.4%	92.9%	94.7%	94.0%	91.1%	92.9%
8.9%	12.6%	7.1%	5.3%	6.0%	8.9%	7.1%
97.0%	98.8%	95.3%	99.3%	98.6%	92.7%	96.5%
3.0%	1.2%	4.7%	0.7%	1.4%	7.3%	3.5%
11.5%	17.1%	19.9%	18.9%	18.7%	24.4%	24.6%
2.8%	4.9%	5.2%	4.0%	3.1%	4.4%	6.0%
60.7%	77.3%	62.3%	53.4%	50.0%	62.5%	78.1%
30.1%	62.6%	37.7%	34.2%	22.7%	35.1%	58.6%
30.6%	14.7%	24.6%	19.2%	27.3%	27.4%	19.5%
39.3%	22.7%	37.7%	46.6%	50.0%	37.5%	21.9%

Table 5.1.2b

Cooking Appliances: Microwave Oven - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Households Using a Microwave Oven /Ménages utilisant un four à micro-ond	**79.0%**	**71.4%**	**73.5%**	**76.1%**
Use of Microwave Oven for... /Utilisation du four à micro-ondes pour...				
Reheating/Réchauffer				
Everyday/Tous les jours	66.0%	54.3%	56.0%	65.3%
A few times a week/Qques fois par sem	27.4%	34.4%	35.3%	29.1%
Once a week or less or never /Une fois par semaine ou moins ou jam	6.6%	11.3%	8.7%	5.6%
Defrosting/Décongeler				
Everyday/Tous les jours	13.0%	16.4%	15.4%	14.2%
A few times a week/Qques fois par sem	38.4%	37.8%	42.7%	40.1%
Once a week or -/Une fois par sem. ou	28.9%	32.6%	30.1%	32.1%
Never/Jamais	19.7%	13.1%	11.9%	13.7%
Cooking/La cuisson				
Everyday/Tous les jours	16.0%	5.6%	9.5%	13.1%
A few times a week/Qques fois par sem	21.0%	12.5%	15.5%	20.0%
Once a week or -/Une fois par sem. ou	23.3%	19.4%	25.8%	26.3%
Never/Jamais	39.8%	62.5%	49.1%	40.7%

Tableau 5.1.2b

Les appareils de cuisson: le four à micro-ondes - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
79.6%	**78.7%**	**78.7%**	**78.0%**	**82.2%**	**82.7%**	**79.1%**
61.8%	69.8%	65.7%	65.3%	69.6%	64.2%	62.1%
29.8%	23.7%	27.4%	29.2%	24.4%	29.9%	31.3%
8.4%	6.5%	6.9%	5.5%	6.0%	5.9%	6.6%
19.0%	11.2%	13.3%	14.8%	18.8%	12.8%	11.6%
38.0%	40.8%	35.0%	41.4%	38.4%	44.6%	36.9%
30.3%	30.4%	26.4%	29.4%	31.4%	26.4%	32.5%
12.7%	17.6%	25.2%	14.4%	11.4%	16.3%	19.0%
11.0%	12.5%	17.5%	15.4%	18.3%	18.4%	20.1%
16.9%	17.7%	21.7%	24.6%	19.3%	23.7%	25.3%
24.3%	18.8%	24.0%	25.7%	27.2%	26.6%	25.4%
47.8%	51.0%	36.8%	34.2%	35.3%	31.2%	29.3%

Table 5.1.2b

Cooking Appliances: Microwave Oven - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Households Using a Microwave Oven /Ménages utilisant un four à micro-ond	**79.0%**	**71.4%**	**73.5%**	**78.1%**
Use of Microwave Oven for... /Utilisation du four à micro-ondes pour...				
Reheating/Réchauffer				
Everyday/Tous les jours	66.0%	54.3%	56.0%	65.3%
A few times a week/Qques fois par sem	27.4%	34.4%	35.3%	29.1%
Once a week or less or never /Une fois par semaine ou moins ou jam	6.6%	11.3%	8.7%	5.6%
Defrosting/Décongeler				
Everyday/Tous les jours	13.0%	16.4%	15.4%	14.2%
A few times a week/Qques fois par sem	38.4%	37.8%	42.7%	40.1%
Once a week or -/Une fois par sem. ou	28.9%	32.6%	30.1%	32.1%
Never/Jamais	19.7%	13.1%	11.9%	13.7%
Cooking/La cuisson				
Everyday/Tous les jours	16.0%	5.6%	9.5%	13.1%
A few times a week/Qques fois par sem	21.0%	12.5%	15.5%	20.0%
Once a week or -/Une fois par sem. ou	23.3%	19.4%	25.8%	26.3%
Never/Jamais	39.8%	62.5%	49.1%	40.7%

Tableau 5.1.2b

Les appareils de cuisson: le four à micro-ondes - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
79.6%	**78.7%**	**78.7%**	**78.0%**	**82.2%**	**82.7%**	**79.1%**
61.8%	69.8%	65.7%	65.3%	69.6%	64.2%	62.1%
29.8%	23.7%	27.4%	29.2%	24.4%	29.9%	31.3%
8.4%	6.5%	6.9%	5.5%	6.0%	5.9%	6.6%
19.0%	11.2%	13.3%	14.8%	18.8%	12.8%	11.6%
38.0%	40.8%	35.0%	41.4%	38.4%	44.6%	36.9%
30.3%	30.4%	26.4%	29.4%	31.4%	26.4%	32.5%
12.7%	17.6%	25.2%	14.4%	11.4%	16.3%	19.0%
11.0%	12.5%	17.5%	15.4%	18.3%	18.4%	20.1%
16.9%	17.7%	21.7%	24.6%	19.3%	23.7%	25.3%
24.3%	18.8%	24.0%	25.7%	27.2%	26.6%	25.4%
47.8%	51.0%	36.8%	34.2%	35.3%	31.2%	29.3%

Table 5.1.3

Dishwasher

- All Dwellings: Provincial results -

	Canada	Newfound. Terre-Neuve	P.E.I. I.-P.-E.	Nova Scotia Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**338**
Dwellings using Dishwasher /Logements utilisant un lave-vaisselle	44.1%	26.2%	28.5%	31.5%
Features of Appliance/Caractéristiques de l'appareil				
Age of Dishwasher/Âge du lave-vaisselle				
1 year or less/1 an ou moins	9.7%	10.5%	8.5%	10.5%
2-5years/de 2 à 5 ans	34.4%	33.6%	37.1%	41.7%
6-10years/de 6 à 10 ans	31.0%	32.4%	29.7%	26.2%
11-15years/de 11 à 15 ans	17.5%	20.4%	16.9%	13.6%
More than 15 years/Plus de 15 ans	7.5%	3.1%	7.9%	8.0%
Average age/Âge moyen	7.7	6.9	7.3	6.9
Built-in?/Encastré?				
Yes/Oui	78.8%	85.6%	75.1%	79.3%
No/Non	21.2%	14.4%	24.9%	20.7%
With switch to Turn Off Drying Cycle? /Avec bouton annulant le cycle de séchage?				
Yes/Oui	79.7%	74.4%	81.8%	83.1%
No/Non	20.3%	25.6%	18.2%	16.9%
Usage Habits/Habitudes d'utilisation				
Frequency of Use per Week /Fréquence d'utilisation par semaine				
Once or less/Une fois ou moins	19.9%	18.6%	14.6%	18.3%
2 or 3 times/2 ou 3 fois	30.7%	25.6%	28.9%	31.8%
4 or 5 times/4 ou 5 fois	21.9%	18.2%	17.4%	18.1%
6 or 7 times/6 ou 7 fois	21.8%	31.0%	27.1%	24.8%
8 times or more/8 fois ou plus	5.8%	6.6%	11.9%	7.0%
Dish Drying Habits				
With Heat/Avec chaleur	44.1%	50.3%	28.3%	30.0%
Without Heat, door close /Sans chaleur, porte fermée	37.2%	37.4%	49.3%	45.9%
Door open/Porte ouverte	18.7%	12.3%	22.4%	24.2%

Tableau 5.1.3

Le lave-vaisselle

- Ensemble des logements: données provinciales -

New-Bruns. Nouv.-Bruns.	Quebec Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. Colom.-Brit.
261	**2,711**	[illegible]	**405**	**388**	**935**	**1,308**
33.9%	46.7%	41.7%	40.9%	46.9%	50.0%	50.3%
9.0%	12.0%	7.6%	8.1%	6.8%	7.9%	12.5%
34.7%	28.9%	41.2%	28.1%	24.6%	24.7%	38.5%
30.7%	32.2%	29.6%	35.1%	35.7%	33.2%	29.0%
18.2%	20.4%	14.2%	18.2%	24.4%	25.5%	12.3%
7.3%	6.6%	7.5%	10.5%	8.5%	8.7%	7.8%
7.6	7.8	7.4	8.4	8.8	8.9	7.1
73.8%	83.3%	77.1%	70.4%	74.5%	74.3%	80.8%
26.2%	16.7%	22.9%	29.6%	25.5%	25.7%	19.2%
78.2%	79.9%	80.9%	77.3%	76.4%	77.4%	79.6%
21.8%	20.1%	19.1%	22.7%	23.6%	22.6%	20.4%
16.9%	20.1%	21.7%	18.3%	17.7%	21.7%	15.3%
27.9%	34.6%	32.3%	26.2%	24.7%	24.6%	27.0%
21.1%	22.7%	22.4%	21.9%	24.9%	20.2%	20.1%
24.4%	19.7%	17.2%	24.7%	23.2%	27.5%	30.4%
9.7%	2.8%	6.4%	9.0%	9.5%	6.1%	7.2%
44.0%	41.3%	47.6%	44.6%	42.5%	46.1%	42.1%
34.2%	37.2%	35.7%	40.2%	40.0%	38.2%	37.8%
21.7%	21.5%	16.8%	15.2%	17.5%	15.7%	20.1%

Table 5.1.3

Dishwasher

- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings using Dishwasher /Logements utilisant un lave-vaisselle	44.1%	26.2%	28.5%	31.5%
Features of Appliance/Caractéristiques de l'appareil				
Age of Dishwasher/Âge du lave-vaisselle				
1 year or less/1 an ou moins	9.7%	10.5%	8.5%	10.5%
2-5years/de 2 à 5 ans	34.4%	33.6%	37.1%	41.7%
6-10years/de 6 à 10 ans	31.0%	32.4%	29.7%	26.2%
11-15years/de 11 à 15 ans	17.5%	20.4%	16.9%	13.6%
More than 15 years/Plus de 15 ans	7.5%	3.1%	7.9%	8.0%
Average age/Âge moyen	7.7	6.9	7.3	6.9
Built-in?/Encastré?				
Yes/Oui	78.8%	85.6%	75.1%	79.3%
No/Non	21.2%	14.4%	24.9%	20.7%
With switch to Turn Off Drying Cycle? /Avec bouton annulant le cycle de séchage?				
Yes/Oui	79.7%	74.4%	81.8%	83.1%
No/Non	20.3%	25.6%	18.2%	16.9%
Usage Habits/Habitudes d'utilisation				
Frequency of Use per Week /Fréquence d'utilisation par semaine				
Once or less/Une fois ou moins	19.9%	18.6%	14.6%	18.3%
2 or 3 times/2 ou 3 fois	30.7%	25.6%	28.9%	31.8%
4 or 5 times/4 ou 5 fois	21.9%	18.2%	17.4%	18.1%
6 or 7 times/6 ou 7 fois	21.8%	31.0%	27.1%	24.8%
8 times or more/8 fois ou plus	5.8%	6.6%	11.9%	7.0%
Dish Drying Habits				
With Heat/Avec chaleur	44.1%	50.3%	28.3%	30.0%
Without Heat, door close /Sans chaleur, porte fermée	37.2%	37.4%	49.3%	45.9%
Door open/Porte ouverte	18.7%	12.3%	22.4%	24.2%

Tableau 5.1.3

Le lave-vaisselle
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**388**	**935**	**1,303**
33.9%	46.7%	41.7%	40.9%	46.9%	50.0%	50.3%
9.0%	12.0%	7.6%	8.1%	6.8%	7.9%	12.5%
34.7%	28.9%	41.2%	28.1%	24.6%	24.7%	38.5%
30.7%	32.2%	29.6%	35.1%	35.7%	33.2%	29.0%
18.2%	20.4%	14.2%	18.2%	24.4%	25.5%	12.3%
7.3%	6.6%	7.5%	10.5%	8.5%	8.7%	7.8%
7.6	7.8	7.4	8.4	8.8	8.9	7.1
73.8%	83.3%	77.1%	70.4%	74.5%	74.3%	80.8%
26.2%	16.7%	22.9%	29.6%	25.5%	25.7%	19.2%
78.2%	79.9%	80.9%	77.3%	76.4%	77.4%	79.6%
21.8%	20.1%	19.1%	22.7%	23.6%	22.6%	20.4%
16.9%	20.1%	21.7%	18.3%	17.7%	21.7%	15.3%
27.9%	34.6%	32.3%	26.2%	24.7%	24.6%	27.0%
21.1%	22.7%	22.4%	21.9%	24.9%	20.2%	20.1%
24.4%	19.7%	17.2%	24.7%	23.2%	27.5%	30.4%
9.7%	2.8%	6.4%	9.0%	9.5%	6.1%	7.2%
44.0%	41.3%	47.6%	44.6%	42.5%	46.1%	42.1%
34.2%	37.2%	35.7%	40.2%	40.0%	38.2%	37.8%
21.7%	21.5%	16.8%	15.2%	17.5%	15.7%	20.1%

Table 5.1.4

Freezer
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P.E.I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings with Freezer /Logements utilisant un congélateur	60.1%	70.7%	65.4%	61.6%
Number of Freezers/Nombre de congélateurs				
One/Un	91.5%	90.2%	95.2%	95.0%
Two or more/Deux ou plus	8.5%	9.8%	4.8%	5.0%
Main Freezer/congélateur principal				
Age of Freezer/Âge du congélateur				
5 year or less/5 an ou moins	21.3%	24.3%	22.0%	23.3%
6-10 years/de 6 à 10 ans	23.7%	24.3%	23.0%	26.4%
11-15 years/de 11 à 15 ans	22.5%	24.7%	21.7%	18.6%
16-20 years/de 16 à 20 ans	16.6%	16.4%	19.4%	20.1%
More than 20 years/Plus de 20 ans	16.0%	10.2%	14.0%	11.6%
Average age/Âge moyen	11.9	11.5	12.2	11.7
Capacity/Capacité				
Less than 7 cu. ft./Moins de 7 pi^3	7.2%	5.1%	7.7%	5.4%
7-13.9 cu. ft./de 7 à 13,9 pi^3	31.7%	32.8%	31.5%	28.2%
14-17.9 cu. ft./de 14 à 17,9 pi^3	37.8%	40.7%	41.7%	41.0%
18-22.9 cu. ft./de 18 à 22,9 pi^3	18.2%	19.3%	17.6%	20.1%
23 cu. ft. and more/23 pi^3 et plus	5.1%	2.1%	1.5%	5.3%
Type of Freezer/Type de congélateur				
Chest/Horizontal	86.5%	92.9%	91.2%	92.9%
Upright/Vertical	13.5%	7.1%	8.8%	7.1%
Secondary Freezer/congélateur secondaire				
Average age/Âge moyen	13.4	11.7	12.0	12.1

Tableau 5.1.4

Le congélateur
- Ensemble des logements: données provinciales -

New-Bruns. Nouv.-Bruns.	Quebec Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
60.3%	49.4%	62.6%	67.5%	80.0%	67.6%	57.5%
94.3%	92.0%	95.2%	88.5%	75.9%	86.9%	88.6%
5.7%	8.0%	4.8%	11.5%	24.1%	13.1%	11.4%
23.4%	18.3%	22.6%	21.2%	14.4%	20.3%	24.8%
21.5%	27.4%	23.2%	20.7%	22.2%	25.6%	18.3%
23.2%	23.9%	21.8%	19.3%	20.4%	20.1%	26.5%
17.7%	18.9%	15.5%	15.7%	17.6%	16.3%	14.4%
14.2%	11.6%	16.8%	23.2%	25.5%	17.7%	16.0%
12.0	11.7	12.1	12.2	13.1	11.8	11.5
4.1%	7.1%	9.5%	5.4%	5.4%	5.0%	4.6%
29.3%	30.4%	34.0%	29.7%	28.5%	31.8%	30.1%
43.3%	41.2%	34.0%	37.9%	36.7%	38.7%	40.7%
18.3%	14.6%	18.7%	21.0%	24.2%	19.5%	18.1%
5.0%	6.6%	3.9%	6.0%	5.1%	4.9%	6.5%
92.2%	79.7%	86.8%	90.4%	93.4%	88.6%	87.5%
7.8%	20.3%	13.2%	9.6%	6.6%	11.4%	12.5%
11.8	17.7	10.7	14.1	15.2	11.4	12.0

Table 5.1.4

Freezer

- All Dwellings: Provincial results -

	Canada	Newfound. / Terre-Neuve	P. E. I. / I.-P.-É.	Nova Scotia / Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**48**	**336**
Dwellings with Freezer /Logements utilisant un congélateur	60.1%	70.7%	65.4%	61.6%
Number of Freezers/Nombre de congélateurs				
One/Un	91.5%	90.2%	95.2%	95.0%
Two or more/Deux ou plus	8.5%	9.8%	4.8%	5.0%
Main Freezer/congélateur principal				
Age of Freezer/Âge du congélateur				
5 year or less/5 an ou moins	21.3%	24.3%	22.0%	23.3%
6-10 years/de 6 à 10 ans	23.7%	24.3%	23.0%	26.4%
11-15 years/de 11 à 15 ans	22.5%	24.7%	21.7%	18.6%
16-20 years/de 16 à 20 ans	16.6%	16.4%	19.4%	20.1%
More than 20 years/Plus de 20 ans	16.0%	10.2%	14.0%	11.6%
Average age/Âge moyen	11.9	11.5	12.2	11.7
Capacity/Capacité				
Less than 7 cu. ft./Moins de 7 pi³	7.2%	5.1%	7.7%	5.4%
7-13.9 cu. ft./de 7 à 13,9 pi³	31.7%	32.8%	31.5%	28.2%
14-17.9 cu. ft./de 14 à 17,9 pi³	37.8%	40.7%	41.7%	41.0%
18-22.9 cu. ft./de 18 à 22,9 pi³	18.2%	19.3%	17.6%	20.1%
23 cu. ft. and more/23 pi³ et plus	5.1%	2.1%	1.5%	5.3%
Type of Freezer/Type de congélateur				
Chest/Horizontal	86.5%	92.9%	91.2%	92.9%
Upright/Vertical	13.5%	7.1%	8.8%	7.1%
Secondary Freezer/congélateur secondaire				
Average age/Âge moyen	13.4	11.7	12.0	12.1

Tableau 5.1.4

Le congélateur
- Ensemble des logements: données provinciales -

New Bruns. / Nouv.-Bruns.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
69.3%	49.4%	62.6%	67.5%	80.0%	67.6%	57.5%
94.3%	92.0%	95.2%	88.5%	75.9%	86.9%	88.6%
5.7%	8.0%	4.8%	11.5%	24.1%	13.1%	11.4%
23.4%	18.3%	22.6%	21.2%	14.4%	20.3%	24.8%
21.5%	27.4%	23.2%	20.7%	22.2%	25.6%	18.3%
23.2%	23.9%	21.8%	19.3%	20.4%	20.1%	26.5%
17.7%	18.9%	15.5%	15.7%	17.6%	16.3%	14.4%
14.2%	11.6%	16.8%	23.2%	25.5%	17.7%	16.0%
12.0	11.7	12.1	12.2	13.1	11.8	11.5
4.1%	7.1%	9.5%	5.4%	5.4%	5.0%	4.6%
29.3%	30.4%	34.0%	29.7%	28.5%	31.8%	30.1%
43.3%	41.2%	34.0%	37.9%	36.7%	38.7%	40.7%
18.3%	14.6%	18.7%	21.0%	24.2%	19.5%	18.1%
5.0%	6.6%	3.9%	6.0%	5.1%	4.9%	6.5%
92.2%	79.7%	86.8%	90.4%	93.4%	88.6%	87.5%
7.8%	20.3%	13.2%	9.6%	6.6%	11.4%	12.5%
11.8	17.7	10.7	14.1	15.2	11.4	12.0

Table 5.1.5a

Washing Machine
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings using Washing Machine /Logements avec une machine à laver	79.0%	90.5%	84.0%	80.6%
Type of Machine/Type de machine				
Automatic/Automatique	98.0%	89.6%	90.5%	94.7%
Other/Autre	2.0%	10.4%	9.5%	5.3%
Number of Loads per Week /Nombre de brassées par semaine				
Winter/En hiver				
1 or less/Une ou moins	10.1%	5.5%	6.4%	9.4%
2 or 3 /2 ou 3	29.1%	21.1%	23.4%	24.1%
4 or 5 /4 ou 5	21.7%	17.5%	20.7%	19.9%
6 or 7 /6 ou 7	17.0%	17.8%	20.3%	15.5%
8 to 13/de 8 à 13	16.3%	25.5%	21.3%	18.6%
14 or more/14 ou plus	5.7%	12.7%	8.0%	12.5%
Summer/En été				
1 or less/Une ou moins	8.4%	4.6%	4.6%	8.0%
2 or 3 /2 ou 3	28.1%	18.6%	19.6%	23.7%
4 or 5 /4 ou 5	23.2%	19.9%	21.7%	22.2%
6 or 7 /6 ou 7	18.1%	15.9%	20.9%	12.8%
8 to 13/de 8 à 13	16.3%	25.7%	24.5%	21.1%
14 or more/14 ou plus	5.9%	15.2%	8.6%	12.2%
Features of Automatic Washing Machine/Caractéristiques de la machine à laver automatique				
Age of Washing Machine/Âge de la machine à laver				
1 year or less/1 an ou moins	8.5%	8.0%	7.7%	8.8%
2-5years/de 2 à 5 ans	29.5%	32.6%	29.9%	33.0%
6-10years/de 6 à 10 ans	29.5%	34.7%	32.2%	29.5%
11-15years/de 11 à 15 ans	17.9%	15.9%	15.1%	15.9%
More than 15 years/Plus de 15 ans	14.7%	8.8%	15.1%	12.9%
Average age/Âge moyen	8.8	7.8	8.5	8.2
Capacity/Capacité				
Compact/Mini	5.7%	12.2%	3.9%	7.0%
Standard/Standard	81.4%	79.3%	85.2%	76.1%
Large/Grande	12.9%	8.6%	10.9%	17.0%

Tableau 5.1.5a

La machine à laver

- Ensemble des logements: données provinciales -

New-Bruns. / Nouv.-Bruns.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,503**
87.1%	83.8%	75.8%	74.8%	81.8%	79.5%	74.3%
97.5%	98.8%	97.9%	95.1%	95.5%	99.3%	99.5%
2.5%	1.2%	2.1%	4.9%	4.5%	0.7%	0.5%
6.0%	10.9%	10.0%	11.7%	9.2%	9.6%	11.3%
24.7%	29.2%	30.7%	27.0%	24.9%	26.2%	32.3%
20.2%	19.7%	23.4%	23.2%	23.4%	23.0%	21.3%
18.9%	19.6%	14.7%	17.4%	18.4%	18.7%	15.8%
19.3%	15.3%	17.1%	14.7%	16.9%	17.0%	13.2%
10.9%	5.4%	4.2%	5.9%	7.2%	5.5%	6.1%
6.0%	8.2%	8.5%	10.5%	7.7%	7.5%	10.1%
20.2%	28.6%	30.2%	27.4%	22.4%	24.5%	30.7%
22.3%	21.2%	24.2%	21.8%	22.5%	23.8%	26.1%
18.8%	22.7%	15.6%	17.6%	19.0%	19.9%	14.3%
20.6%	13.8%	17.1%	15.9%	19.6%	19.0%	12.7%
12.1%	5.3%	4.4%	6.8%	8.9%	5.3%	6.0%
8.0%	8.3%	7.5%	8.1%	6.8%	7.7%	12.9%
33.0%	29.3%	31.1%	28.0%	22.7%	28.7%	25.8%
30.1%	29.5%	30.2%	29.0%	30.3%	31.0%	25.0%
16.7%	17.4%	16.3%	18.4%	24.9%	18.8%	22.3%
12.2%	15.6%	14.9%	16.4%	15.3%	13.8%	14.0%
8.2	9.0	8.8	9.3	9.7	8.8	8.7
6.3%	3.1%	8.1%	4.1%	3.2%	3.7%	5.9%
81.8%	86.2%	79.4%	84.3%	84.6%	79.8%	77.3%
11.9%	10.7%	12.5%	11.6%	12.2%	16.6%	16.7%

Table 5.1.5a

Washing Machine
- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**48**	**336**
Dwellings using Washing Machine /Logements avec une machine à laver	79.0%	90.5%	84.0%	80.6%
Type of Machine/Type de machine				
Automatic/Automatique	98.0%	89.6%	90.5%	94.7%
Other/Autre	2.0%	10.4%	9.5%	5.3%
Number of Loads per Week /Nombre de brassées par semaine				
Winter/En hiver				
1 or less/Une ou moins	10.1%	5.5%	6.4%	9.4%
2 or 3 /2 ou 3	29.1%	21.1%	23.4%	24.1%
4 or 5 /4 ou 5	21.7%	17.5%	20.7%	19.9%
6 or 7 /6 ou 7	17.0%	17.8%	20.3%	15.5%
8 to 13/de 8 à 13	16.3%	25.5%	21.3%	18.6%
14 or more/14 ou plus	5.7%	12.7%	8.0%	12.5%
Summer/En été				
1 or less/Une ou moins	8.4%	4.6%	4.6%	8.0%
2 or 3 /2 ou 3	28.1%	18.6%	19.6%	23.7%
4 or 5 /4 ou 5	23.2%	19.9%	21.7%	22.2%
6 or 7 /6 ou 7	18.1%	15.9%	20.9%	12.8%
8 to 13/de 8 à 13	16.3%	25.7%	24.5%	21.1%
14 or more/14 ou plus	5.9%	15.2%	8.6%	12.2%
Features of Automatic Washing Machine/Caractéristiques de la machine à laver automatique				
Age of Washing Machine/Âge de la machine à laver				
1 year or less/1 an ou moins	8.5%	8.0%	7.7%	8.8%
2-5years/de 2 à 5 ans	29.5%	32.6%	29.9%	33.0%
6-10years/de 6 à 10 ans	29.5%	34.7%	32.2%	29.5%
11-15years/de 11 à 15 ans	17.9%	15.9%	15.1%	15.9%
More than 15 years/Plus de 15 ans	14.7%	8.8%	15.1%	12.9%
Average age/Âge moyen	8.8	7.8	8.5	8.2
Capacity/Capacité				
Compact/Mini	5.7%	12.2%	3.9%	7.0%
Standard/Standard	81.4%	79.3%	85.2%	76.1%
Large/Grande	12.9%	8.6%	10.9%	17.0%

Tableau 5.1.5a

La machine à laver
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
87.1%	83.8%	75.8%	74.8%	81.8%	79.5%	74.3%
97.5%	98.8%	97.9%	95.1%	95.5%	99.3%	99.5%
2.5%	1.2%	2.1%	4.9%	4.5%	0.7%	0.5%
9.0%	10.9%	10.0%	11.7%	9.2%	9.6%	11.3%
24.7%	29.2%	30.7%	27.0%	24.9%	26.2%	32.3%
20.2%	19.7%	23.4%	23.2%	23.4%	23.0%	21.3%
18.9%	19.6%	14.7%	17.4%	18.4%	18.7%	15.8%
19.3%	15.3%	17.1%	14.7%	16.9%	17.0%	13.2%
10.9%	5.4%	4.2%	5.9%	7.2%	5.5%	6.1%
6.0%	8.2%	8.5%	10.5%	7.7%	7.5%	10.1%
20.2%	28.6%	30.2%	27.4%	22.4%	24.5%	30.7%
22.3%	21.2%	24.2%	21.8%	22.5%	23.8%	26.1%
18.8%	22.7%	15.6%	17.6%	19.0%	19.9%	14.3%
20.6%	13.8%	17.1%	15.9%	19.6%	19.0%	12.7%
12.1%	5.3%	4.4%	6.8%	8.9%	5.3%	6.0%
8.0%	8.3%	7.5%	8.1%	6.8%	7.7%	12.9%
33.0%	29.3%	31.1%	28.0%	22.7%	28.7%	25.8%
30.1%	29.5%	30.2%	29.0%	30.3%	31.0%	25.0%
16.7%	17.4%	16.3%	18.4%	24.9%	18.8%	22.3%
12.2%	15.6%	14.9%	16.4%	15.3%	13.8%	14.0%
8.2	9.0	8.8	9.3	9.7	8.8	8.7
6.3%	3.1%	8.1%	4.1%	3.2%	3.7%	5.9%
81.8%	86.2%	79.4%	84.3%	84.6%	79.8%	77.3%
11.9%	10.7%	12.5%	11.6%	12.2%	16.6%	16.7%

Table 5.1.5b

Washing Machine: options available and options used - Dwellings with Automatic Machines - Provincial results

	Canada	Newfound. / Terre-Neuve	P. E. I. / I.-P.-É.	Nova Scotia / Nouv.-Écosse
Choice of water level depending on needs /Choix du niveau de l'eau en fonction des besoins				
Available/Disponible	94.5%	91.7%	96.2%	92.2%
Used/Utilisé	90.0%	87.5%	92.1%	88.4%
Not Used/Non utilisé	4.5%	4.2%	4.1%	3.8%
Not Available/Non disponible	5.5%	8.3%	3.8%	7.8%
Water Temperature Options/Options de température de l'eau				
Available for.../Disponibles pour...				
Washing:/Lavage:				
Hot Water/Eau chaude	98.2%	92.5%	93.1%	96.8%
Warm Water/Eau tiède	98.4%	91.7%	96.4%	96.7%
Cold Water/Eau froide	98.5%	92.6%	94.9%	97.5%
Rinsing:/Rinçage:				
Hot Water/Eau chaude	84.7%	77.2%	80.2%	83.7%
Warm Water/Eau tiède	94.2%	87.9%	93.1%	91.8%
Cold Water/Eau froide	98.5%	92.8%	97.1%	97.7%
Used when available/Utilisées lorsque disponibles				
Washing:/Lavage:				
Hot Water/Eau chaude	6.7%	5.2%	6.8%	5.1%
Warm Water/Eau tiède	61.9%	61.4%	67.7%	53.0%
Cold Water/Eau froide	33.4%	35.4%	29.7%	43.6%
Rinsing:/Rinçage:				
Warm Water/Eau tiède	23.5%	17.7%	29.4%	16.7%
Cold Water/Eau froide	79.4%	84.9%	75.4%	85.8%

Tableau 5.1.5b

La machine à laver: options disponibles et celles utilisées - Logements avec machines automatiques - données provinciales

New-Bruns. / Nouv.-Bruns.	Québec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
95.2%	97.8%	92.4%	94.7%	94.6%	94.4%	93.6%
90.7%	93.8%	87.4%	90.0%	90.1%	89.7%	89.0%
4.5%	4.0%	5.0%	4.7%	4.5%	4.7%	4.6%
4.8%	2.2%	7.6%	5.3%	5.4%	5.6%	6.4%
97.6%	98.1%	98.7%	97.0%	98.2%	99.2%	98.2%
97.5%	98.0%	98.7%	98.2%	98.5%	99.7%	99.2%
97.9%	99.6%	98.2%	97.0%	98.1%	98.9%	98.5%
85.7%	88.5%	85.7%	82.9%	80.4%	82.3%	77.4%
94.2%	95.4%	94.6%	91.9%	93.7%	94.8%	92.6%
97.8%	99.4%	98.2%	98.3%	98.1%	99.3%	98.7%
5.3%	2.5%	9.1%	13.8%	8.9%	9.0%	6.2%
61.9%	42.4%	63.5%	72.3%	81.4%	74.0%	71.8%
33.8%	57.9%	24.0%	15.7%	10.5%	18.0%	22.9%
23.5%	18.0%	26.2%	28.6%	33.2%	28.4%	23.7%
78.6%	85.1%	77.0%	74.3%	71.1%	74.7%	78.0%

Table 5.1.6

Clothes Dryer

- All Dwellings: Provincial results -

	Canada	Newfound. / Terre-Neuve	P. E. I. / Î.-P.-É.	Nova Scotia / Nouv.-Ecosse
All Dwellings ('000) /Tous les logements ('000)	**10,859**	**188**	**46**	**338**
Dwellings using Clothes Dryer /Logements avec une sécheuse	73.8%	78.1%	71.6%	72.9%
Age of Clothes Dryer/Âge de la sécheuse				
1 year or less/1 an ou moins	7.7%	8.3%	7.5%	7.2%
2-5years/de 2 à 5 ans	26.2%	28.5%	26.8%	26.0%
6-10years/de 6 à 10 ans	28.3%	26.8%	27.0%	27.8%
11-15years/de 11 à 15 ans	19.9%	20.1%	19.4%	16.3%
16-20years/de 16 à 20 ans	9.8%	11.5%	14.5%	15.5%
More than 20 years/Plus de 20 ans	8.2%	4.8%	4.9%	7.3%
Average age/Âge moyen	9.7	9.1	9.5	10.0
Fuel/Combustible				
Electricity/Électricité	96.4%	99.8%	97.3%	98.5%
Other/Autre	3.6%	0.2%	2.7%	1.5%
Capacity/Capacité				
Compact/Mini	5.0%	6.9%	2.7%	6.7%
Standard/Standard	86.1%	87.2%	91.4%	82.2%
Large/Grande	8.9%	5.9%	5.9%	11.0%
Number of Loads per Week/Nombre de brassées par semaine				
Winter/En hiver				
1 or less/Une ou moins	13.4%	6.3%	8.5%	14.0%
2 or 3 /2 ou 3	28.3%	22.8%	26.5%	23.6%
4 or 5 /4 ou 5	21.9%	18.1%	21.0%	21.2%
6 or 7 /6 ou 7	16.3%	18.8%	17.2%	14.0%
8 or more/8 ou plus	20.1%	34.1%	26.7%	27.2%
Summer/En été				
1 or less/Une ou moins	36.3%	51.3%	54.4%	54.9%
2 or 3 /2 ou 3	25.7%	23.3%	22.0%	22.1%
4 or 5 /4 ou 5	17.2%	10.2%	11.9%	10.3%
6 or 7 /6 ou 7	10.0%	7.4%	5.9%	4.7%
8 or more/8 ou plus	10.9%	7.9%	5.9%	7.9%
Options Available and Options Used/Options disponibles et celles utilisées				
Available/Disponibles				
Manual Timer/Minuterie manuelle	96.7%	97.4%	98.4%	97.5%
Automatic Shut-off/Arrêt automatique	62.1%	60.1%	54.1%	65.7%
'Permapress'	85.3%	79.5%	82.9%	84.5%
Used when available/Utilisées lorsque disponibles				
Manual Timer/Minuterie manuelle	70.0%	75.9%	77.9%	70.0%
Automatic Shut-off/Arrêt automatique	54.5%	54.7%	46.6%	51.8%
'Permapress'	28.7%	28.4%	21.7%	24.2%

Tableau 5.1.6

La sécheuse

- Ensemble des logements: données provinciales -

New Brums. / Nouv.-Bruns.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom. Brit.
261	2,711	3,810	408	388	935	1,303
81.7%	77.3%	71.0%	70.6%	78.6%	76.2%	71.0%
7.1%	7.9%	6.7%	6.7%	5.8%	7.0%	12.2%
26.8%	23.9%	30.4%	25.0%	17.6%	24.7%	23.2%
26.9%	28.4%	28.2%	26.6%	30.2%	31.6%	26.5%
17.2%	20.9%	18.3%	17.5%	23.7%	20.9%	22.3%
14.5%	8.6%	9.4%	13.0%	11.6%	9.0%	9.4%
7.5%	10.2%	7.2%	11.2%	11.1%	6.8%	6.4%
9.9	10.2	9.3	10.6	11.1	9.6	9.3
99.8%	99.9%	93.9%	95.4%	98.2%	90.0%	99.1%
0.2%	0.1%	6.1%	4.6%	1.8%	10.0%	0.9%
4.3%	2.7%	7.2%	3.3%	2.7%	3.1%	6.0%
86.2%	88.8%	84.2%	88.9%	89.7%	87.1%	83.1%
9.5%	8.5%	8.5%	7.9%	7.5%	9.9%	10.9%
7.6%	15.5%	14.7%	11.9%	9.0%	10.0%	11.6%
24.6%	28.0%	28.7%	27.7%	25.0%	27.0%	32.9%
20.8%	20.6%	22.6%	24.0%	24.4%	22.9%	21.8%
18.0%	17.1%	15.2%	17.6%	17.7%	17.6%	15.6%
29.0%	18.8%	18.8%	18.9%	23.9%	22.5%	18.1%
46.8%	45.6%	35.4%	24.8%	18.2%	18.2%	30.4%
22.4%	21.3%	28.4%	28.9%	24.8%	26.4%	28.7%
12.4%	17.6%	16.0%	19.2%	21.7%	21.9%	18.3%
8.9%	8.6%	9.7%	12.2%	14.9%	15.2%	9.7%
9.5%	6.9%	10.5%	14.9%	20.5%	18.2%	12.9%
97.6%	96.3%	96.1%	96.9%	97.1%	98.0%	97.2%
57.0%	54.0%	66.2%	67.7%	62.8%	64.1%	66.0%
85.2%	85.8%	82.8%	83.8%	87.0%	89.7%	88.4%
70.0%	72.8%	69.2%	69.2%	66.6%	70.7%	65.5%
54.0%	49.7%	58.2%	55.1%	56.1%	53.7%	53.6%
22.7%	16.9%	34.3%	36.2%	40.0%	35.4%	30.7%

Table 5.1.6

Clothes Dryer

- All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**338**
Dwellings using Clothes Dryer /Logements avec une sécheuse	73.8%	78.1%	71.6%	72.9%
Age of Clothes Dryer/Âge de la sécheuse				
1 year or less/1 an ou moins	7.7%	8.3%	7.5%	7.2%
2-5years/de 2 à 5 ans	26.2%	28.5%	26.8%	26.0%
6-10years/de 6 à 10 ans	28.3%	26.8%	27.0%	27.8%
11-15years/de 11 à 15 ans	19.9%	20.1%	19.4%	16.3%
16-20years/de 16 à 20 ans	9.8%	11.5%	14.5%	15.5%
More than 20 years/Plus de 20 ans	8.2%	4.8%	4.9%	7.3%
Average age/Âge moyen	9.7	9.1	9.5	10.0
Fuel/Combustible				
Electricity/Électricité	96.4%	99.8%	97.3%	98.5%
Other/Autre	3.6%	0.2%	2.7%	1.5%
Capacity/Capacité				
Compact/Mini	5.0%	6.9%	2.7%	6.7%
Standard/Standard	86.1%	87.2%	91.4%	82.2%
Large/Grande	8.9%	5.9%	5.9%	11.0%
Number of Loads per Week/Nombre de brassées par semaine				
Winter/En hiver				
1 or less/Une ou moins	13.4%	6.3%	8.5%	14.0%
2 or 3 /2 ou 3	28.3%	22.8%	26.5%	23.6%
4 or 5 /4 ou 5	21.9%	18.1%	21.0%	21.2%
6 or 7 /6 ou 7	16.3%	18.8%	17.2%	14.0%
8 or more/8 ou plus	20.1%	34.1%	26.7%	27.2%
Summer/En été				
1 or less/Une ou moins	36.3%	51.3%	54.4%	54.9%
2 or 3 /2 ou 3	25.7%	23.3%	22.0%	22.1%
4 or 5 /4 ou 5	17.2%	10.2%	11.9%	10.3%
6 or 7 /6 ou 7	10.0%	7.4%	5.9%	4.7%
8 or more/8 ou plus	10.9%	7.9%	5.9%	7.9%
Options Available and Options Used/Options disponibles et celles utilisées				
Available/Disponibles				
Manual Timer/Minuterie manuelle	96.7%	97.4%	98.4%	97.5%
Automatic Shut-off/Arrêt automatique	62.1%	60.1%	54.1%	65.7%
'Permapress'	85.3%	79.5%	82.9%	84.5%
Used when available/Utilisées lorsque disponibles				
Manual Timer/Minuterie manuelle	70.0%	75.9%	77.9%	70.0%
Automatic Shut-off/Arrêt automatique	54.5%	54.7%	46.6%	51.8%
'Permapress'	28.7%	28.4%	21.7%	24.2%

Tableau 5.1.6

La sécheuse

- Ensemble des logements: données provinciales -

New-Bruns. / Nouv.-Bruns.	Québec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
81.7%	77.3%	71.0%	70.6%	78.6%	76.2%	71.0%
7.1%	7.9%	6.7%	6.7%	5.8%	7.0%	12.2%
26.8%	23.9%	30.4%	25.0%	17.6%	24.7%	23.2%
26.9%	28.4%	28.2%	26.6%	30.2%	31.6%	26.5%
17.2%	20.9%	18.3%	17.5%	23.7%	20.9%	22.3%
14.5%	8.6%	9.4%	13.0%	11.6%	9.0%	9.4%
7.5%	10.2%	7.2%	11.2%	11.1%	6.8%	6.4%
9.9	10.2	9.3	10.6	11.1	9.6	9.3
99.8%	99.9%	93.9%	95.4%	98.2%	90.0%	99.1%
0.2%	0.1%	6.1%	4.6%	1.8%	10.0%	0.9%
4.3%	2.7%	7.2%	3.3%	2.7%	3.1%	6.0%
86.2%	88.8%	84.2%	88.9%	89.7%	87.1%	83.1%
9.5%	8.5%	8.5%	7.9%	7.5%	9.9%	10.9%
7.6%	15.5%	14.7%	11.9%	9.0%	10.0%	11.6%
24.6%	28.0%	28.7%	27.7%	25.0%	27.0%	32.9%
20.8%	20.6%	22.6%	24.0%	24.4%	22.9%	21.8%
18.0%	17.1%	15.2%	17.6%	17.7%	17.6%	15.6%
29.0%	18.8%	18.8%	18.9%	23.9%	22.5%	18.1%
46.8%	45.6%	35.4%	24.8%	18.2%	18.2%	30.4%
22.4%	21.3%	28.4%	28.9%	24.8%	26.4%	28.7%
12.4%	17.6%	16.0%	19.2%	21.7%	21.9%	18.3%
8.9%	8.6%	9.7%	12.2%	14.9%	15.2%	9.7%
9.5%	6.9%	10.5%	14.9%	20.5%	18.2%	12.9%
97.6%	96.3%	96.1%	96.9%	97.1%	98.0%	97.2%
57.0%	54.0%	66.2%	67.7%	62.8%	64.1%	66.0%
85.2%	85.8%	82.8%	83.8%	87.0%	89.7%	88.4%
70.0%	72.8%	69.2%	69.2%	66.6%	70.7%	65.5%
54.0%	49.7%	58.2%	55.1%	56.1%	53.7%	53.6%
22.7%	16.9%	34.3%	36.2%	40.0%	35.4%	30.7%

Table 5.4.1

Distribution Rate of Selected Energy-Consuming Appliance - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
VCR/Magnétoscope	**76.8%**	**77.7%**	**71.1%**	**78.2%**
CD player/Lecteur de DC	34.2%	27.2%	25.1%	29.8%
Other stereo system/Autre système de son	**62.1%**	**66.4%**	**59.6%**	**63.9%**
Personal computer/Ordinateur personnel	24.5%	20.2%	15.3%	17.5%
Electric blanket/Couverture électrique	**8.8%**	**	**10.3%**	**10.8%**
Waterbed heater/Lit d'eau chauffé	11.8%	12.8%	17.2%	13.9%
Portable humidifier/Humidificateur portatif	**20.3%**	**5.8%**	**9.2%**	**10.0%**
Portable dehumidifier /Déshumidificateur portatif	11.7%	13.2%	23.1%	21.5%
Car block heater/Chauffe-moteur	**27.0%**	**14.1%**	**14.2%**	**9.7%**
Interior car warmer/Chauffrette pour l'auto	4.2%	**	**	**
Water cooler/Refroidisseur d'eau	**4.1%**	**	**	**
Fish tank with equipment/Aquarium équipé	4.9%	**	**	3.7%
Bathroom exhaust fan /Ventillateur de salle de bain	**48.2%**	**45.8%**	**34.0%**	**46.0%**

** Insufficient sample size.

Tableau 5.4.1

Taux de diffusion de certains appareils consommateurs d'énergie - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
78.4%	**72.0%**	**78.5%**	**73.4%**	**71.2%**	**82.6%**	**79.3%**
27.2%	31.9%	34.7%	29.9%	27.5%	35.3%	43.6%
64.3%	**62.0%**	**62.5%**	**60.8%**	**59.2%**	**62.7%**	**60.6%**
14.2%	22.5%	27.0%	18.3%	19.9%	27.0%	28.0%
10.1%	**5.5%**	**9.8%**	**7.8%**	**10.1%**	**12.2%**	**10.2%**
15.8%	7.1%	13.0%	15.4%	17.5%	15.4%	10.9%
20.0%	**26.9%**	**19.7%**	**16.6%**	**23.0%**	**25.3%**	**9.9%**
21.7%	6.8%	19.8%	12.9%	2.6%	**	**
40.3%	**26.4%**	**14.9%**	**63.8%**	**69.4%**	**65.7%**	**16.3%**
**	**	**	18.6%	16.1%	8.5%	**
**	**11.7%**	**	**	**	**	**
3.7%	**	6.8%	5.8%	6.1%	5.1%	**
44.8%	**33.7%**	**49.4%**	**56.0%**	**57.4%**	**62.9%**	**61.5%**

** Taille d'échantillon insuffisante.

Table 5.4.1

Distribution Rate of Selected Energy-Consuming Appliance - All Dwellings: Provincial results -

	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-É.	Nova Scotia Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	10,359	186	46	336
VCR/Magnétoscope	76.8%	77.7%	71.1%	78.2%
CD player/Lecteur de DC	34.2%	27.2%	25.1%	29.8%
Other stereo system/Autre système de son	62.1%	66.4%	59.6%	63.9%
Personal computer/Ordinateur personnel	24.5%	20.2%	15.3%	17.5%
Electric blanket/Couverture électrique	8.8%	**	10.3%	10.8%
Waterbed heater/Lit d'eau chauffé	11.8%	12.8%	17.2%	13.9%
Portable humidifier/Humidificateur portatif	20.3%	5.8%	9.2%	10.0%
Portable dehumidifier /Déshumidificateur portatif	11.7%	13.2%	23.1%	21.5%
Car block heater/Chauffe-moteur	27.0%	14.1%	14.2%	9.7%
Interior car warmer/Chauffrette pour l'auto	4.2%	**	**	**
Water cooler/Refroidisseur d'eau	4.1%	**	**	**
Fish tank with equipment/Aquarium équipé	4.9%	**	**	3.7%
Bathroom exhaust fan /Ventilateur de salle de bain	45.2%	45.8%	34.0%	46.0%

** Insufficient sample size.

Tableau 5.4.1

Taux de diffusion de certains appareils consommateurs d'énergie - Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	2,711	3,810	403	368	935	1,503
78.4%	72.0%	78.5%	73.4%	71.2%	82.6%	79.8%
27.2%	31.9%	34.7%	29.9%	27.5%	35.3%	43.6%
64.3%	62.0%	62.5%	60.8%	59.2%	62.7%	60.6%
14.2%	22.5%	27.0%	18.3%	19.9%	27.0%	28.0%
10.1%	5.5%	9.8%	7.8%	10.1%	12.2%	10.2%
15.8%	7.1%	13.0%	15.4%	17.5%	15.4%	10.9%
20.0%	26.9%	19.7%	16.6%	28.0%	25.3%	9.0%
21.7%	6.8%	19.8%	12.9%	2.6%	**	**
40.3%	26.4%	14.9%	63.8%	69.4%	66.7%	16.3%
**	**	**	18.6%	16.1%	8.5%	**
**	11.7%	**	**	**	**	**
3.7%	**	6.8%	5.8%	6.1%	5.1%	**
44.8%	33.7%	49.4%	56.0%	57.4%	62.9%	6..6%

** Taille d'échantillon insuffisante.

Table 5.4.2

Distribution Rate of Selected Energy-Consuming Appliance - Houses only: Provincial results -

	Canada	Newfound. - Terré-Neuve	P. E. I. - I.-P.-E.	Nova-Scotia - Nouv.-Écosse
All Houses ('000) /Toutes les maisons ('000)	7,135	166	39	366
Colour TV set/Téléviseur couleur	89.6%	82.3%	80.5%	84.2%
B & W TV set/Téléviseur noir et blanc	18.2%	30.5%	25.0%	27.1%
VCR/Magnétoscope	83.0%	80.1%	74.8%	81.3%
CD player/Lecteur de DC	37.5%	28.9%	26.3%	30.2%
Other stereo system/Autre système de son	66.7%	67.2%	61.1%	64.6%
Personal computer/Ordinateur personnel	28.3%	21.4%	16.9%	19.1%
Electric blanket/Couverture électrique	10.8%	**	11.1%	11.9%
Waterbed heater/Lit d'eau chauffé	14.9%	12.2%	18.3%	15.4%
Portable humidifier/Humidificateur portatif	10.9%	**	9.7%	10.0%
Portable dehumidifier /Déshumidificateur portatif	15.4%	13.8%	26.3%	26.5%
Car block heater/Chauffe-moteur	82.7%	14.3%	16.3%	11.4%
Interior car warmer/Chauffrette pour l'auto	5.0%	**	**	**
Water cooler/Refroidisseur d'eau	6.0%	**	**	**
Fish tank with equipment/Aquarium équipé	5.7%	**	**	**
Bathroom exhaust fan /Ventilateur de salle de bain	49.6%	44.4%	31.4%	41.8%
Central vacuum cleaner/Aspirateur central	19.5%	**	13.7%	9.9%
Sump pump/Pompe submersible	14.9%	9.2%	29.1%	12.3%
Water softener/Adoucisseur d'eau	10.9%	**	6.0%	6.3%
Piscine/Pool	10.0%	**	**	**
Hot tub or jacuzzi/Bain tourbillon ou jacuzzi	10.3%	**	7.1%	5.7%

** Insufficient sample size.

Tableau 5.4.2

Taux de diffusion de certains appareils consommateurs d'énergie - Maisons seulement: données provinciales -

New-Bruns. · Nouv.-Bruns.	Quebec · Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. · Colom.-Brit.
219	1,455	2,697	311	304	738	942
90.7%	93.8%	87.9%	86.0%	89.1%	90.7%	90.5%
25.7%	20.0%	17.5%	16.0%	20.0%	18.2%	11.1%
81.6%	82.6%	82.8%	77.0%	74.8%	86.7%	87.5%
29.3%	36.0%	39.0%	32.0%	27.7%	37.0%	46.7%
65.4%	70.5%	66.3%	64.5%	61.5%	64.4%	67.4%
15.7%	23.8%	32.9%	20.5%	21.5%	29.7%	33.1%
10.2%	**	11.4%	6.8%	10.8%	14.2%	12.8%
16.8%	9.1%	16.8%	17.8%	18.7%	17.2%	14.2%
20.7%	29.8%	17.9%	16.5%	23.5%	27.1%	11.6%
25.1%	9.1%	26.1%	16.5%	3.2%	**	**
45.1%	37.4%	18.1%	70.9%	72.7%	69.1%	20.0%
**	**	**	20.1%	15.9%	8.5%	**
**	18.0%	**	**	**	**	**
3.8%	**	7.9%	6.7%	6.6%	**	**
45.2%	32.7%	51.8%	59.0%	55.9%	64.7%	57.4%
11.9%	23.9%	19.7%	12.3%	26.8%	27.4%	13.0%
13.1%	14.2%	19.0%	18.0%	20.5%	11.2%	**
6.8%	**	13.6%	11.9%	44.2%	13.1%	**
**	27.8%	9.8%	**	**	**	**
6.2%	13.3%	10.9%	7.5%	5.7%	9.2%	10.2%

** Taille d'échantillon insuffisante.

Table 5.4.2

Distribution Rate of Selected Energy-Consuming Appliance - Houses only: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Houses ('000) /Toutes les maisons ('000)	**7,135**	**166**	**39**	**388**
Colour TV set/Téléviseur couleur	**89.5%**	**82.3%**	**80.5%**	**84.2%**
B & W TV set/Téléviseur noir et blanc	18.2%	30.5%	25.0%	27.1%
VCR/Magnétoscope	**83.0%**	**80.1%**	**74.8%**	**81.3%**
CD player/Lecteur de DC	37.5%	28.9%	26.3%	30.2%
Other stereo system/Autre système de son	**66.7%**	**67.2%**	**61.1%**	**64.6%**
Personal computer/Ordinateur personnel	28.3%	21.4%	16.9%	19.1%
Electric blanket/Couverture électrique	**10.8%**	**	**11.1%**	**11.9%**
Waterbed heater/Lit d'eau chauffé	14.9%	12.2%	18.3%	15.4%
Portable humidifier/Humidificateur portatif	**19.9%**	**	**9.7%**	**10.0%**
Portable dehumidifier /Déshumidificateur portatif	15.4%	13.8%	26.3%	26.5%
Car block heater/Chauffe-moteur	**32.7%**	**14.3%**	**16.3%**	**11.4%**
Interior car warmer/Chauffrette pour l'auto	5.0%	**	**	**
Water cooler/Refroidisseur d'eau	**5.0%**	**	**	**
Fish tank with equipment/Aquarium équipé	5.7%	**	**	**
Bathroom exhaust fan /Ventillateur de salle de bain	**49.6%**	**44.4%**	**31.4%**	**41.8%**
Central vacuum cleaner/Aspirateur central	19.5%	**	13.7%	9.9%
Sump pump/Pompe submersible	**14.9%**	**9.2%**	**29.1%**	**12.3%**
Water softener/Adoucisseur d'eau	10.9%	**	6.0%	6.3%
Piscine/Pool	**10.0%**	**	**	**
Hot tub or jacuzzi/Bain tourbillon ou jacuzzi	10.3%	**	7.1%	5.7%

** Insufficient sample size.

Tableau 5.4.2

Taux de diffusion de certains appareils consommateurs d'énergie - Maisons seulement: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**738**	**942**
90.7%	**93.8%**	**87.9%**	**86.0%**	**89.1%**	**90.7%**	**90.5%**
25.7%	20.0%	17.5%	16.0%	20.0%	18.2%	11.1%
81.6%	**82.6%**	**82.8%**	**77.0%**	**74.8%**	**86.7%**	**87.5%**
29.3%	36.0%	39.0%	32.0%	27.7%	37.0%	46.7%
65.4%	**70.5%**	**66.3%**	**64.5%**	**61.5%**	**64.4%**	**67.4%**
15.7%	23.8%	32.9%	20.5%	21.5%	29.7%	33.1%
10.2%	**	**11.4%**	**8.8%**	**10.8%**	**14.2%**	**12.8%**
16.8%	9.1%	16.8%	17.8%	18.7%	17.2%	14.2%
20.7%	**29.3%**	**17.9%**	**15.5%**	**23.5%**	**27.1%**	**11.6%**
25.1%	9.1%	26.1%	16.5%	3.2%	**	**
45.1%	**37.4%**	**18.1%**	**70.9%**	**72.7%**	**69.1%**	**20.0%**
**	**	**	20.1%	15.9%	8.5%	**
**	**18.0%**	**	**	**	**	**
3.8%	**	7.9%	6.7%	6.6%	**	**
45.2%	**32.7%**	**51.8%**	**59.0%**	**55.9%**	**64.7%**	**57.4%**
11.9%	23.9%	19.7%	12.3%	26.8%	27.4%	13.0%
13.1%	**14.2%**	**19.0%**	**18.0%**	**20.5%**	**11.2%**	**
6.8%	**	13.6%	11.9%	44.2%	13.1%	**
**	**27.8%**	**9.3%**	**	**	**	**
6.2%	13.3%	10.9%	7.5%	5.7%	9.2%	10.2%

** Taille d'échantillon insuffisante.

Section 6:

Hot running water/L'eau chaude courante

Table 6.1.1

Hot Running Water

- All Dwellings: Provincial results -

	Canada	Newfound. / Terre-Neuve	P.E.I. / I.-P.-É.	Nova Scotia / Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings with Hot Running Water /Logements avec eau chaude courante	99.6%	97.3%	98.8%	98.9%
Type of Water Heater/Type de chauffe-eau				
Individual/Individuel	78.0%	95.0%	84.8%	83.6%
Shared/Partagé	22.0%	5.0%	15.2%	16.4%
Features of Individual Hot Water Heater/Caractéristiques du chauffe-eau individuel				
Fuel Used/Combustible utilisé				
Electricity/Électricité	57.2%	89.3%	25.5%	65.7%
Oil/Mazout	3.2%	***	66.1%	29.1%
Natural Gas/Gaz naturel	38.4%	***	***	***
Other/Autre	1.2%	10.7%	8.4%	5.2%
Age of Hot Water Heater/Âge du chauffe-eau				
1 year or less/1 an ou moins	12.7%	14.6%	5.7%	12.2%
2-5 years/de 2 à 5 ans	33.6%	48.7%	25.6%	38.0%
6-10 years/de 6 à 10 ans	27.7%	20.9%	24.6%	26.7%
11-15 years/de 11 à 15 ans	14.4%	12.1%	20.9%	11.7%
More than 15 years/Plus de 15 ans	11.6%	3.6%	23.2%	11.4%
Average age/Âge moyen	7.6	5.7	10.0	7.3
Capacity/Capacité				
30 gal. or less/30 gal. ou moins	13.7%	21.4%	29.2%	17.6%
40 gal./40 gal.	63.8%	72.7%	58.5%	69.2%
50 gal./50 gal.	10.1%	4.3%	10.0%	9.7%
60 gal. or more/60 gal. ou plus	12.3%	1.7%	2.3%	3.5%
Insulation/Isolation				
Add-on Insulation/Couverture isol.	18.1%	12.8%	18.6%	24.1%
Insul. around pipes/Gaines pour tuyau	22.9%	26.1%	24.1%	32.2%
Energy-Saving Devices/Équipement économiseur				
Shower Head/Pomme de douche				
None/Aucune	55.2%	69.8%	62.7%	58.8%
One/Une	37.3%	26.4%	34.4%	37.1%
Two or more/Deux ou plus	7.5%	3.8%	2.9%	4.1%
Aerator/Aérateur				
None/Aucune	78.1%	91.0%	86.5%	81.1%
One/Une	11.5%	6.0%	9.9%	14.3%
Two or more/Deux ou plus	10.4%	3.0%	3.6%	4.6%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 6.1.1

L'eau chaude courante

- Ensemble des logements: données provinciales -

New. Bruns. / Nouv. Brums.	Quebec / Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom. Brit.
381	2,711	3,810	403	363	936	1,302
99.5%	99.7%	99.6%	99.7%	99.5%	99.8%	99.9%
89.7%	82.5%	73.1%	77.8%	82.2%	78.4%	74.8%
10.3%	17.5%	26.9%	22.2%	17.8%	21.6%	25.2%
91.8%	93.8%	43.1%	47.7%	24.2%	***	48.5%
6.4%	***	***	***	***	***	***
***	***	55.0%	51.9%	75.0%	89.0%	48.4%
1.8%	6.2%	1.9%	0.4%	0.8%	11.0%	3.1%
12.2%	12.5%	12.2%	16.7%	11.6%	12.6%	13.9%
33.6%	30.9%	37.4%	31.4%	32.4%	21.6%	34.1%
25.1%	31.7%	28.0%	25.0%	25.4%	18.8%	28.4%
14.7%	15.9%	11.5%	12.1%	15.7%	24.7%	13.5%
14.5%	9.0%	10.9%	14.9%	14.9%	22.3%	10.1%
8.0	7.5	7.2	7.8	8.1	9.9	7.3
4.9%	8.2%	9.1%	18.6%	33.0%	26.2%	20.8%
79.1%	54.5%	68.0%	68.4%	59.7%	62.9%	66.3%
6.0%	4.8%	16.1%	8.0%	6.1%	9.3%	9.2%
10.0%	32.5%	6.8%	5.0%	1.2%	1.6%	3.6%
17.9%	18.2%	19.9%	10.7%	10.1%	8.9%	24.0%
21.3%	19.1%	30.2%	17.6%	10.8%	15.7%	18.7%
62.3%	54.2%	49.6%	64.3%	70.0%	62.6%	54.5%
33.8%	39.7%	42.2%	31.0%	25.9%	29.6%	32.4%
3.9%	6.1%	8.2%	4.7%	4.1%	7.8%	13.1%
87.4%	65.7%	82.1%	85.1%	90.8%	86.8%	76.4%
7.1%	14.3%	11.6%	8.7%	6.0%	7.8%	11.8%
5.5%	20.0%	6.3%	6.2%	3.2%	5.4%	11.8%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Table 6.1.1

Hot Running Water
- All Dwellings: Provincial results -

	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-É.	Nova-Scotia Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Dwellings with Hot Running Water /Logements avec eau chaude courante	99.6%	97.3%	98.8%	98.9%
Type of Water Heater/Type de chauffe-eau				
Individual/Individuel	78.0%	95.0%	84.8%	83.6%
Shared/Partagé	22.0%	5.0%	15.2%	16.4%
Features of Individual Hot Water Heater/Caractéristiques du chauffe-eau individuel				
Fuel Used/Combustible utilisé				
Electricity/Électricité	57.2%	89.3%	25.5%	65.7%
Oil/Mazout	3.2%	***	66.1%	29.1%
Natural Gas/Gaz naturel	38.4%	***	***	***
Other/Autre	1.2%	10.7%	8.4%	5.2%
Age of Hot Water Heater/Âge du chauffe-eau				
1 year or less/1 an ou moins	12.7%	14.6%	5.7%	12.2%
2-5 years/de 2 à 5 ans	33.6%	48.7%	25.6%	38.0%
6-10 years/de 6 à 10 ans	27.7%	20.9%	24.6%	26.7%
11-15 years/de 11 à 15 ans	14.4%	12.1%	20.9%	11.7%
More than 15 years/Plus de 15 ans	11.6%	3.6%	23.2%	11.4%
Average age/Âge moyen	7.6	5.7	10.0	7.3
Capacity/Capacité				
30 gal. or less/30 gal. ou moins	13.7%	21.4%	29.2%	17.6%
40 gal./40 gal.	63.8%	72.7%	58.5%	69.2%
50 gal./50 gal.	10.1%	4.3%	10.0%	9.7%
60 gal. or more/60 gal. ou plus	12.3%	1.7%	2.3%	3.5%
Insulation/Isolation				
Add-on Insulation/Couverture isol.	18.1%	12.8%	18.6%	24.1%
Insul. around pipes/Gaines pour tuyau	22.9%	26.1%	24.1%	32.2%
Energy-Saving Devices/Équipement économiseur				
Shower Head/Pomme de douche				
None/Aucune	55.2%	69.8%	62.7%	58.8%
One/Une	37.3%	26.4%	34.4%	37.1%
Two or more/Deux ou plus	7.5%	3.8%	2.9%	4.1%
Aerator/Aérateur				
None/Aucune	78.1%	91.0%	86.5%	81.1%
One/Une	11.5%	6.0%	9.9%	14.3%
Two or more/Deux ou plus	10.4%	3.0%	3.6%	4.6%

*** Due to insufficient sample size, estimate is grouped in the category 'Other'.

Tableau 6.1.1

L'eau chaude courante
- Ensemble des logements: données provinciales -

New-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit.-Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
99.5%	99.7%	99.6%	99.7%	99.5%	99.8%	99.9%
89.7%	82.5%	73.1%	77.8%	82.2%	78.4%	74.8%
10.3%	17.5%	26.9%	22.2%	17.8%	21.6%	25.2%
91.8%	93.8%	43.1%	47.7%	24.2%	***	48.5%
6.4%	***	***	***	***	***	***
***	***	55.0%	51.9%	75.0%	89.0%	48.4%
1.8%	6.2%	1.9%	0.4%	0.8%	11.0%	3.1%
12.2%	12.5%	12.2%	16.7%	11.6%	12.6%	13.9%
33.6%	30.9%	37.4%	31.4%	32.4%	21.6%	34.1%
25.1%	31.7%	28.0%	25.0%	25.4%	18.8%	28.4%
14.7%	15.9%	11.5%	12.1%	15.7%	24.7%	13.5%
14.5%	9.0%	10.9%	14.9%	14.9%	22.3%	10.1%
8.0	7.5	7.2	7.8	8.1	9.9	7.3
4.9%	8.2%	9.1%	18.6%	33.0%	26.2%	20.8%
79.1%	54.5%	68.0%	68.4%	59.7%	62.9%	66.3%
6.0%	4.8%	16.1%	8.0%	6.1%	9.3%	9.2%
10.0%	32.5%	6.8%	5.0%	1.2%	1.6%	3.6%
17.9%	18.2%	19.9%	10.7%	10.1%	8.9%	24.0%
21.3%	19.1%	30.2%	17.6%	10.8%	15.7%	18.7%
62.3%	54.2%	49.6%	64.3%	70.0%	62.6%	54.5%
33.8%	39.7%	42.2%	31.0%	25.9%	29.6%	32.4%
3.9%	6.1%	8.2%	4.7%	4.1%	7.8%	13.1%
87.4%	65.7%	82.1%	85.1%	90.8%	86.8%	76.4%
7.1%	14.3%	11.6%	8.7%	6.0%	7.8%	11.8%
5.5%	20.0%	6.3%	6.2%	3.2%	5.4%	11.8%

*** La taille insuffisante de l'échantillon impose le regroupement dans la catégorie 'Autre'.

Section 7:

Lighting/L'éclairage

Table 7.1

Average Number and Distribution Rate of Light Bulbs According to Type and Area of Use - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-E.	Nova-Scotia - Nouv.-Ecosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**186**	**46**	**336**
Indoor/Intérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	2.7	1.2	1.8	1.6
Incandescent/Incandescentes	21.8	21.6	19.9	20.9
Total: indoor/Intérieur	24.5	22.8	21.7	22.5
Outdoor/Extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	0.3	0.1	0.2	0.3
Incandescent/Incandescentes	2.4	2.4	2.2	2.3
Total: outdoor/Extérieur	2.7	2.5	2.4	2.6
Indoor, outdoor/Intérieur, extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	2.9	1.3	2.0	1.9
Incandescent/Incandescentes	24.2	24.0	22.1	23.2
Total: Light Bulbs/Ampoules	27.1	25.3	24.1	25.2
Percentage of Dwellings Using One or More Halogen or Fluorescent Light bulbs				
Indoor/Intérieur				
Halogen/Halogènes	17.7%	5.3%	15.4%	7.1%
Fluorescent/Fluorencentes	52.8%	33.5%	50.0%	49.7%
Outdoor/Extérieur				
Halogen/Halogènes	6.5%	**	5.0%	6.2%
Fluorescent/Fluorencentes	4.6%	**	**	4.2%
Indoor, outdoor/Intérieur, extérieur				
Halogen/Halogènes	22.2%	7.3%	18.4%	12.2%
Fluorescent/Fluorescentes	54.0%	34.2%	51.2%	51.0%

** Insufficient sample size.

Tableau 7.1

Nombre moyen et taux de diffusion des ampoules selon le type et le lieu d'utilisation - Ensemble des logements: données provinciales -

New Bruns. / Nouv.-Bruns.	Quebec / Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. / Colom.-Brit.
561	**2,711**	**3,610**	**403**	**368**	**985**	**1,303**
1.7	2.6	2.6	2.6	3.2	3.0	3.3
21.4	18.3	23.2	21.2	22.6	23.6	24.0
23.1	21.0	25.8	23.9	25.8	26.6	27.3
0.3	0.2	0.3	0.3	0.3	0.4	0.4
2.5	2.4	2.3	2.2	2.4	2.4	2.7
2.7	2.6	2.5	2.4	2.7	2.7	3.1
2.0	2.8	2.9	2.9	3.5	3.3	3.7
23.9	20.8	25.5	23.4	25.0	26.0	26.6
25.8	23.6	28.4	26.3	28.5	29.3	30.4
Pourcentage de logements utilisant une ou des ampoules halogènes ou fluorescentes						
9.1%	32.7%	12.8%	11.0%	9.3%	12.5%	15.4%
47.9%	42.5%	56.7%	59.2%	63.2%	57.8%	58.6%
7.9%	7.1%	5.8%	5.9%	6.6%	7.0%	7.4%
3.4%	**	4.8%	4.5%	5.7%	5.6%	6.5%
15.6%	36.6%	17.0%	15.5%	15.0%	18.2%	20.6%
49.3%	43.8%	58.1%	60.0%	64.1%	58.7%	59.5%

** Taille d'échantillon insuffisante.

Table 7.1

Average Number and Distribution Rate of Light Bulbs According to Type and Area of Use - All Dwellings: Provincial results -

	Canada	Newfound. - Terre-Neuve	P. E. I. - I.-P.-É.	Nova-Scotia - Nouv.-Écosse
All Dwellings ('000) /Tous les logements ('000)	**10,359**	**188**	**46**	**336**
Indoor/Intérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	2.7	1.2	1.8	1.6
Incandescent/Incandescentes	21.8	21.6	19.9	20.9
Total: indoor/Intérieur	24.5	22.8	21.7	22.5
Outdoor/Extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	0.3	0.1	0.2	0.3
Incandescent/Incandescentes	2.4	2.4	2.2	2.3
Total: outdoor/Extérieur	2.7	2.5	2.4	2.6
Indoor, outdoor/Intérieur, extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	2.9	1.3	2.0	1.9
Incandescent/Incandescentes	24.2	24.0	22.1	23.2
Total: Light Bulbs/Ampoules	27.1	25.3	24.1	25.2
Percentage of Dwellings Using One or More Halogen or Fluorescent Light bulbs				
Indoor/Intérieur				
Halogen/Halogènes	17.7%	5.3%	15.4%	7.1%
Fluorescent/Fluorencentes	52.8%	33.5%	50.0%	49.7%
Outdoor/Extérieur				
Halogen/Halogènes	6.5%	**	5.0%	6.2%
Fluorescent/Fluorencentes	4.6%	**	**	4.2%
Indoor, outdoor/Intérieur, extérieur				
Halogen/Halogènes	22.2%	7.3%	18.4%	12.2%
Fluorescent/Fluorescentes	54.0%	34.2%	51.2%	51.0%

** Insufficient sample size.

Tableau 7.1

Nombre moyen et taux de diffusion des ampoules selon le type et le lieu d'utilisation - Ensemble des logements: données provinciales -

New.-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
261	**2,711**	**3,810**	**403**	**368**	**935**	**1,303**
1.7	2.6	2.6	2.6	3.2	3.0	3.3
21.4	18.3	23.2	21.2	22.6	23.6	24.0
23.1	21.0	25.8	23.9	25.8	26.6	27.3
0.3	0.2	0.3	0.3	0.3	0.4	0.4
2.5	2.4	2.3	2.2	2.4	2.4	2.7
2.7	2.6	2.5	2.4	2.7	2.7	3.1
2.0	2.8	2.9	2.9	3.5	3.3	3.7
23.9	20.8	25.5	23.4	25.0	26.0	26.6
25.8	23.6	28.4	26.3	28.5	29.3	30.4
Pourcentage de logements utilisant une ou des ampoules halogènes ou fluorescentes						
9.1%	32.7%	12.8%	11.0%	9.3%	12.5%	15.4%
47.9%	42.5%	56.7%	59.2%	63.2%	57.8%	58.6%
7.9%	7.1%	5.8%	5.9%	6.6%	7.0%	7.4%
3.4%	**	4.8%	4.5%	5.7%	5.6%	6.5%
15.6%	36.6%	17.0%	15.5%	15.0%	18.2%	20.6%
49.3%	43.8%	58.1%	60.0%	64.1%	58.7%	59.5%

** Taille d'échantillon insuffisante.

Table 7.2

Average Number and Distribution Rate of Light Bulbs According to Type and Area of Use - Houses only: Provincial results -

	Canada	Newfound. Terre-Neuve	P. E. I. I.-P.-É.	Nova-Scotia Nouv.-Écosse
All Houses ('000) /Toutes les maisons ('000)	**7,135**	**168**	**39**	**266**
Indoor/Intérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	3.3	1.3	2.0	1.9
Incandescent/Incandescentes	25.9	22.8	21.6	23.3
Total: indoor/Intérieur	29.2	24.1	23.6	25.2
Outdoor/Extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	0.4	0.1	0.2	0.4
Incandescent/Incandescentes	3.2	2.6	2.5	2.8
Total: outdoor/Extérieur	3.6	2.7	2.7	3.2
Indoor, outdoor/Intérieur, extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	3.7	1.4	2.2	2.2
Incandescent/Incandescentes	29.2	25.4	24.1	26.1
Total: Light Bulbs/Ampoules	32.8	26.8	26.3	28.3
Percentage of Dwellings Using One or More Halogen or Fluorescent Light bulbs				
Indoor/Intérieur				
Halogen/Halogènes	17.6%	5.8%	17.0%	6.8%
Fluorescent/Fluorencentes	61.2%	35.0%	53.2%	56.3%
Outdoor/Extérieur				
Halogen/Halogènes	9.0%	**	5.6%	7.5%
Fluorescent/Fluorencentes	5.7%	**	**	5.3%
Indoor, outdoor/Intérieur, extérieur				
Halogen/Halogènes	23.8%	8.0%	20.2%	13.1%
Fluorescent/Fluorescentes	62.6%	35.8%	54.7%	57.9%

** Insufficient sample size.

Tableau 7.2

Nombre moyen et taux de diffusion des ampoules selon le type et le lieu d'utilisation - Maisons seulement: données provinciales -

New.-Bruns. - Nouv.-Bruns.	Quebec - Québec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. - Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**736**	**942**
1.8	3.8	3.1	3.2	3.7	3.6	4.0
23.2	22.9	27.4	24.2	24.9	26.8	28.7
25.0	26.7	30.5	27.4	28.6	30.4	32.7
0.3	0.3	0.3	0.4	0.4	0.5	0.6
2.9	3.8	3.2	2.7	2.8	2.9	3.6
3.2	4.1	3.5	3.1	3.2	3.4	4.1
2.2	4.1	3.5	3.5	4.1	4.0	4.6
26.1	26.7	30.5	27.0	27.7	29.7	32.2
28.2	30.8	34.0	30.5	31.8	33.8	36.8
Pourcentage de logements utilisant une ou des ampoules halogènes ou fluorescentes						
9.7%	38.8%	12.1%	11.6%	9.5%	13.4%	15.6%
50.3%	53.1%	64.1%	67.6%	68.0%	67.0%	65.8%
9.4%	12.2%	7.8%	7.7%	8.0%	8.6%	10.1%
4.1%	**	6.1%	5.8%	6.5%	7.1%	**
17.5%	45.0%	17.7%	17.4%	16.4%	20.3%	22.8%
52.0%	54.0%	66.0%	68.7%	69.2%	68.0%	66.6%

** Taille d'échantillon insuffisante.

Table 7.2

Average Number and Distribution Rate of Light Bulbs According to Type and Area of Use - Houses only: Provincial results -

	Canada	Newfound. / Terre-Neuve	P. E. I. / I.-P.-E.	Nova Scotia / Nouv.-Ecosse
All Houses ('000) /Toutes les maisons ('000)	**7,135**	**166**	**39**	**266**
Indoor/Intérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	3.3	1.3	2.0	1.9
Incandescent/Incandescentes	25.9	22.8	21.6	23.3
Total: indoor/Intérieur	29.2	24.1	23.6	25.2
Outdoor/Extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	0.4	0.1	0.2	0.4
Incandescent/Incandescentes	3.2	2.6	2.5	2.8
Total: outdoor/Extérieur	3.6	2.7	2.7	3.2
Indoor, outdoor/Intérieur, extérieur				
Halogen or Fluorencent /Halogènes ou fluorencentes	3.7	1.4	2.2	2.2
Incandescent/Incandescentes	29.2	25.4	24.1	26.1
Total: Light Bulbs/Ampoules	32.8	26.8	26.3	28.3
Percentage of Dwellings Using One or More Halogen or Fluorescent Light bulbs				
Indoor/Intérieur				
Halogen/Halogènes	17.6%	5.8%	17.0%	6.8%
Fluorescent/Fluorencentes	61.2%	35.0%	53.2%	56.3%
Outdoor/Extérieur				
Halogen/Halogènes	9.0%	**	5.6%	7.5%
Fluorescent/Fluorencentes	5.7%	**	**	5.3%
Indoor, outdoor/Intérieur, extérieur				
Halogen/Halogènes	23.8%	8.0%	20.2%	13.1%
Fluorescent/Fluorescentes	62.6%	35.8%	54.7%	57.9%

** Insufficient sample size.

Tableau 7.2

Nombre moyen et taux de diffusion des ampoules selon le type et le lieu d'utilisation - Maisons seulement: données provinciales -

New-Bruns. Nouv.-Bruns.	Quebec Quebec	Ontario	Manitoba	Saskat-chewan	Alberta	Brit. Columb. Colom.-Brit.
219	**1,455**	**2,697**	**311**	**304**	**786**	**942**
1.8	3.8	3.1	3.2	3.7	3.6	4.0
23.2	22.9	27.4	24.2	24.9	26.8	28.7
25.0	26.7	30.5	27.4	28.6	30.4	32.7
0.3	0.3	0.3	0.4	0.4	0.5	0.6
2.9	3.8	3.2	2.7	2.8	2.9	3.6
3.2	4.1	3.5	3.1	3.2	3.4	4.1
2.2	4.1	3.5	3.5	4.1	4.0	4.6
26.1	26.7	30.5	27.0	27.7	29.7	32.2
28.2	30.8	34.0	30.5	31.8	33.8	36.8
Pourcentage de logements utilisant une ou des ampoules halogènes ou fluorescentes						
9.7%	38.8%	12.1%	11.6%	9.5%	13.4%	15.6%
50.3%	53.1%	64.1%	67.6%	68.0%	67.0%	65.8%
9.4%	12.2%	7.8%	7.7%	8.0%	8.6%	10.1%
4.1%	**	6.1%	5.8%	6.5%	7.1%	**
17.5%	45.0%	17.7%	17.4%	16.4%	20.3%	22.8%
52.0%	54.0%	66.0%	68.7%	69.2%	68.0%	66.6%

** Taille d'échantillon insuffisante.